




The Most Comprehensive Portfolio
of SARS-CoV-2 Reagents

- Recombinant Antibodies
- Sandwich ELISA Pairs
- Recombinant Proteins
- FFPE Cell Pellet Blocks

LEARN MORE

<https://www.genetex.com/covid19>



126 (1)

J Immunol 1981; 126:1-389; ;
<http://www.jimmunol.org/content/126/1.citation>

This information is current as
of September 22, 2020.

Why *The JI*? [Submit online.](#)

- **Rapid Reviews! 30 days*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

*average

Subscription Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>

Permissions Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>

Email Alerts Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

CELLULAR IMMUNOLOGY

- | | | |
|--|-----|---|
| M. G. Goodman and W. O. Weigle | 20 | Nonspecific Activation of Murine Lymphocytes. VII. Functional Correlates of Molecular Structure of Thiol Compounds |
| B. L. Pike, F. L. Battye, and G. J. V. Nossal | 89 | Effect of Hapten Valency and Carrier Composition on the Tolerogenic Potential of Hapten-Protein Conjugates |
| H. Narimatsu and K. Saito | 95 | Murine T Cell Lines That Help Induction and Generation of Allospecific Cytotoxic T Cells from Thymocytes |
| B. Mantovani | 127 | Phagocytosis of Immune Complexes Mediated by IgM and C3 Receptors by Macrophages from Mice Treated with Glycogen |
| R. Ward and H. Kohler | 146 | Regulation of Clones Responding to Dextran B1355S. II. Response of T-Dependent and T-Independent Precursors |
| L. Nash, R. A. Good, A. Hatzfeld, G. Goldstein, and G. S. Incefy | 150 | <i>In Vitro</i> Differentiation of Two Surface Markers for Immature T Cells by the Synthetic Pentapeptide, Thymopoietin ₃₂₋₃₆ |
| E. C. Snow, T. L. Feldbush, and J. A. Oaks | 161 | The Effect of Growth Hormone and Insulin upon MLC Responses and the Generation of Cytotoxic Lymphocytes |
| C. A. Nacy, E. J. Leonard, and M. S. Meltzer | 204 | Macrophages in Resistance to Rickettsial Infections: Characterization of Lymphokines That Induce Rickettsiacidal Activity in Macrophages |
| T. P. Bradley and B. Bonavida | 208 | Mechanism of Cell-Mediated Cytotoxicity at the Single Cell Level. III. Evidence that Cytotoxic T Lymphocytes Lyse Both Antigen-Specific and -Nonspecific Targets Pretreated with Lectins or Periodate |
| A. L. Glasebrook, J. Quintans, L. Eisenberg, and F. W. Fitch | 240 | Alloreactive Cloned T Cell Lines. II. Polyclonal Stimulation of B Cells by a Cloned Helper T Cell Line |
| J. C. Hiserodt and B. Bonavida | 256 | Studies on the Induction and Expression of T Cell-Mediated Immunity. XI. Inhibition of the "Lethal Hit" in T Cell-Mediated Cytotoxicity by Heterologous Rat Antiserum Made against Alloimmune Cytotoxic T Lymphocytes |
| D. I. Beller and E. R. Unanue | 263 | Regulation of Macrophage Populations. II. Synthesis and Expression of Ia Antigens by Peritoneal Exudate Macrophages is a Transient Event |
| M. F. Lipscomb, G. B. Toews, C. R. Lyons, and J. W. Uhr | 286 | Antigen Presentation by Guinea Pig Alveolar Macrophages |
| K. A. Ault and T. A. Springer | 359 | Cross-Reaction of a Rat-Anti-Mouse Phagocyte-Specific Monoclonal Antibody (Anti-Mac-1) with Human Monocytes and Natural Killer Cells |

CLINICAL IMMUNOLOGY

- | | | |
|--|-----|---|
| L. Pearson and R. W. Lightfoot, Jr. | 16 | Correlation of DNA-Anti-DNA Association Rates with Clinical Activity in Systemic Lupus Erythematosus (SLE) |
| A. R. Hayward and J. Kurnick | 50 | Newborn T Cell Suppression: Early Appearance, Maintenance in Culture, and Lack of Growth Factor Suppression |
| E. L. Reinherz, C. Morimoto, A. C. Penta, and S. F. Schlossman | 67 | Subpopulations of the T4 ⁺ Inducer T Cell Subset in Man: Evidence for an Amplifier Population Preferentially Expressing Ia Antigen upon Activation |
| W. Borkowsky, P. Suleski, N. Bhardwaj, and H. S. Lawrence | 80 | Antigen-Specific Activity of Murine Leukocyte Dialysates Containing Transfer Factor on Human Leukocytes in the Leukocyte Migration Inhibition (LMI) Assay |
| C. S. Abramson, J. H. Kersey, and T. W. LeBien | 83 | A Monoclonal Antibody (BA-1) Reactive with Cells of Human B Lymphocyte Lineage |
| H. M. Gebel, P. A. Radaj, D. Holmes, B. D. Schwartz, and G. E. Rodey | 118 | Functional Characteristics of T _G and T _{nonG} Cells in a Three Party MLR |
| T. Miyawaki, N. Moriya, T. Nagasaki, M. Kubo, T. Yokoi, and N. Taniguchi | 282 | Mode of Action of Humoral Suppressor Factor Derived from Pokeweed Mitogen-Stimulated Cord T Cells on Adult B Cell Differentiation |
| D. A. Carson, J. Kaye, and D. B. Wasson | 348 | The Potential Importance of Soluble Deoxynucleotidase Activity in Mediating Deoxyadenosine Toxicity in Human Lymphoblasts |

continued on page 4

IMMUNOCHEMISTRY

- | | | |
|---|-----|--|
| H. A. Schenkein and S. Ruddy | 7 | The Role of Immunoglobulins in Alternative Complement Pathway Activation by Zymosan. I. Human IgG with Specificity for Zymosan Enhances Alternative Pathway Activation by Zymosan |
| H. A. Schenkein and S. Ruddy | 11 | The Role of Immunoglobulins in Alternative Pathway Activation by Zymosan. II. The Effect of IgG on the Kinetics of the Alternative Pathway |
| R. Sitia, E. M. Rabellino, M. Sockell, and U. Hammerling | 107 | A Spatial Association between Membrane IgD and the Receptor for C3b (CR ₁) at the Cell Surface of Murine B Lymphocytes |
| D. M. Segal, S. O. Sharrow, J. F. Jones, and R. P. Siraganian | 138 | Fc (IgG) Receptors on Rat Basophilic Leukemia Cells |
| R. A. Johanson, A. R. Shaw, and M. Schlamowitz | 194 | Evidence That the C _H 2 Domain of IgG Contains the Recognition Unit for Binding by the Fetal Rabbit Yolk Sac Membrane Receptor |
| C. Andrzejewski, Jr., J. Rauch, E. Lafer, B. D. Stollar, and R. S. Schwartz | 226 | Antigen-Binding Diversity and Idiotypic Cross-Reactions among Hybridoma Autoantibodies to DNA |
| J. Burge, A. Nicholson-Weller, and K. F. Austen | 232 | Isolation of C4-Binding Protein from Guinea Pig Plasma and Demonstration of Its Function as a Control Protein of the Classical Complement Pathway C3 Convertase |
| J. O. Minta | 245 | The Role of Sialic Acid in the Functional Activity and the Hepatic Clearance of C ₁ -INH |
| J. O. Minta and E. Aziz | 250 | Analysis of the Reactive Site Peptide Bond in C ₁ -Inhibitor by Chemical Modification of Tyrosyl, Lysyl, and Arginyl Residues: The Essential Role of Lysyl Residues in the Functional Activity of C ₁ -INH |
| H. L. Ploegh, H. T. Orr, and J. L. Strominger | 270 | Biosynthesis and Cell Surface Localization of Nonglycosylated Human Histocompatibility Antigens |

IMMUNOGENETICS AND TRANSPLANTATION

- | | | |
|---|-----|---|
| R. Burger, L. Clement, J. Schroer, J. Chiba, and E. M. Shevach | 32 | Monoclonal Antibodies to Guinea Pig Ia Antigens. I. Production, Serologic, and Immunochemical Characterization |
| Y. Hirai, E. Lamoyi, Y. Dohi, and A. Nisonoff | 71 | Regulation of Expression of a Family of Cross-Reactive Idiotypes |
| L. A. Gill-Pazaris, E. Lamoyi, A. R. Brown, and A. Nisonoff | 75 | Properties of a Minor Cross-Reactive Idiotypic Associated with Anti- <i>p</i> -Azophenylarsenate Antibodies of A/J Mice |
| J. A. Marsh, P. O'Hern, and E. Goldberg | 100 | The Role of an X-Linked Gene in the Regulation of Secondary Humoral Response Kinetics to Sperm-Specific LDH-C ₄ Antigen |
| P. C. Doherty, J. R. Bennink, and P. J. Wettstein | 131 | Negatively Selected H-2 ^{bmi} and H-2 ^b T Cells Stimulated with Vaccinia Virus Completely Discriminate between Mutant and Wild-Type H-2K Alleles |
| R. Lieberman, S. Rudikoff, W. Humphrey, Jr., and M. Potter | 172 | Allelic Forms of Anti-Phosphorylcholine Antibodies |
| S.-T. Ju, M. Pierres, R. Germain, B. Benacerraf, and M. E. Dorf | 177 | Idiotypic Analysis of Anti-GAT Antibodies. VIII. Comparison of Interstrain and Allotype-Associated Idiotypic Specificities |
| S.-T. Ju and M. E. Dorf | 183 | Idiotypic Analysis of Anti-GAT Antibodies. IX. Genetic Mapping of the Gte Idiotypic Marker within the <i>Igh-V</i> Locus |
| C. Raffel and S. Sell | 236 | Surface Immunoglobulin-Bearing Rabbit Lymphocytes Express Both V _H and L Chain Allotypic Determinants |
| W. J. Hubbard, A. D. Hess, S. Hsia, and D. B. Amos | 292 | The Effects of Electrophoretically "Slow" and "Fast" α-2 Macroglobulin on Mixed Lymphocyte Cultures |
| K. Ozato and D. H. Sachs | 317 | Monoclonal Antibodies to Mouse MHC Antigens III. Hybridoma Antibodies Reacting to Antigens of the H-2 ^b Haplotype Reveal Genetic Control of Isotype Expression |
| B. Sredni, H. Y. Tse, C. Chen, and R. H. Schwartz | 341 | Antigen-Specific Clones of Proliferating T Lymphocytes. I. Methodology, Specificity, and MHC Restriction |
| N. W. Roehm, B. J. Alter, and F. H. Bach | 353 | Lyt Phenotypes of Alloreactive Precursor and Effector Cytotoxic T Lymphocytes |
| S. Yokota, W. P. Lafuse, J. F. McCormick, and C. S. David | 371 | Detection of Hybrid (Combinatorial) Ia Antigens Using Parent Anti-F ₁ Sera |

continued on page 5

IMMUNOPATHOLOGY

D. E. Griffin	27	Immunoglobulins in the Cerebrospinal Fluid: Changes during Acute Viral Encephalitis in Mice
H. G. Herrod, W. R. Valenski, D. R. Woods, and L. L. Pifer	59	The <i>in Vitro</i> Response of Human Lymphocytes to <i>Pneumocystis carinii</i> Antigen
E. S. Raveche, O. Alabaster, J. H. Tjio, J. Taurog, and A. D. Steinberg	154	Analysis of NZB Hyperdiploid Spleen Cells
D. English, J. S. Roloff, and J. N. Lukens	165	Regulation of Human Polymorphonuclear Leukocyte Superoxide Release by Cellular Responses to Chemotactic Peptides
K. P. DeBoer, R. Kleinman, and M. Teodorescu	277	Identification and Separation by Bacterial Adherence of Human Lymphocytes That Suppress Natural Cytotoxicity
J. F. Regal and R. J. Pickering	313	C5a-Induced Tracheal Contraction: Effect of an SRS-A Antagonist and Inhibitors of Arachidonate Metabolism

TUMOR IMMUNOLOGY

W. W. Young, Jr., J. M. Durdik, D. Urdal, S-i. Hakomori, and C. S. Henney	1	Glycolipid Expression in Lymphoma Cell Variants: Chemical Quantity, Immunologic Reactivity, and Correlations with Susceptibility to NK Cells
R. Ciavarrá and J. Forman	54	Influence of <i>IgH</i> V-Region Genes on the Growth Kinetics of a Murine B Cell Leukemia (BCL ₁)
D. R. Galloway, R. P. McCabe, M. A. Pellegrino, S. Ferrone, and R. A. Reisfeld	62	Tumor-Associated Antigens in Spent Medium of Human Melanoma Cells: Immunochemical Characterization with Xenoantisera
J. Mahony, A. Bose, D. Cowdrey, T. Nusair, M. Lei, J. Harris, A. Marks, and R. Baumal	113	A Monoclonal Antiidiotypic Antibody to MOPC 315 IgA Inhibits the Growth of MOPC 315 Myeloma Cells <i>In Vitro</i>
G. Spira, P. Aman, N. Koide, G. Lundin, G. Klein, and K. Hall	122	Cell-Surface Immunoglobulin and Insulin Receptor Expression in an EBV-Negative Lymphoma Cell Line and Its EBV-Converted Sublines
D. Collavo, P. Zanovello, G. Biasi, and L. Chieco-Bianchi	187	T Lymphocyte Tolerance and Early Appearance of Virus-Induced Cell Surface Antigens in Moloney-Murine Leukemia Virus Neonatally Injected Mice
P. D. Greenberg, M. A. Cheever, and A. Fefer	200	Distinct Phenotypic Expression of Immunogenicity and Immunosenescence in Sublines of a Tumor
R. M. Welsh, K. Karre, M. Hansson, L. A. Kunkel, and R. W. Kiessling	219	Interferon-Mediated Protection of Normal and Tumor Target Cells against Lysis by Mouse Natural Killer Cells
J. V. Giorgi and N. L. Warner	322	Continuous Cytotoxic T Cell Lines Reactive against Murine Plasmacytoma Tumor-Associated Antigens
M. Chun, G. Fernandes, and M. K. Hoffmann	331	Mechanism of NK Cell Activation: Relationship between Qa5 ⁺ NK Cells and Lymphocytes
G. Trinchieri, D. Granato, and B. Perussia	335	Interferon-Induced Resistance of Fibroblasts to Cytotoxicity Mediated by Natural Killer Cells: Specificity and Mechanism
A. C. Morgan, Jr., D. R. Galloway, K. Imai, and R. A. Reisfeld	365	Human Melanoma-Associated Antigens: Role of Carbohydrate in Shedding and Cell Surface Expression
J. M. Zarling, F. H. Bach, and P. C. Kung	375	Sensitization of Lymphocytes against Pooled Allogeneic Cells. II. Characterization of Effector Cells Cytotoxic for Autologous Lymphoblastoid Cell Lines

VIRAL AND MICROBIAL IMMUNOLOGY

F. V. Chisari, K. L. Castle, C. Xavier, and D. S. Anderson	38	Functional Properties of Lymphocyte Subpopulations in Hepatitis B Virus Infection. I. Suppressor Cell Control of T Lymphocyte Responsiveness
F. V. Chisari, M. S. Bieber, C. A. Josepho, C. Xavier, and D. S. Anderson	45	Functional Properties of Lymphocyte Subpopulations in Hepatitis B Virus Infection. II. Cytotoxic Effector Cell Killing of Targets That Naturally Express Hepatitis B Surface Antigen and Liver-Specific Lipoprotein
J. A. Lyon, J. M. Pratt, R. W. Travis, B. P. Doctor, and J. G. Olenick	134	Use of Monoclonal Antibody to Immunochemically Characterize Variant-Specific Surface Coat Glycoprotein from <i>Trypanosoma rhodesiense</i>
M. J. Nelles, W. R. Duncan, and J. W. Streilein	215	Immune Response to Acute Virus Infection in the Syrian Hamster. II. Studies on the Identity of Virus-Induced Cytotoxic Effector Cells

continued on page 6

continued from page 5

- J. W. Albright and J. F. Albright 300 Inhibition of Murine Humoral Immune Responses by Substances Derived from Trypanosomes
- M. J. P. Lawman, P. T. Naylor, L. Huang, R. J. Courtney, and B. T. Rouse 304 Cell-Mediated Immunity to Herpes Simplex Virus: Induction of Cytotoxic T Lymphocyte Responses by Viral Antigens Incorporated into Liposomes
- J. J. Ellner, G. R. Olds, G. S. Osman, A. E. Kholly, and A. A. F. Mahmoud 309 Dichotomies in the Reactivity to Worm Antigen in Human *Schistosomiasis mansoni*
- R. L. Tarleton and W. M. Kemp 379 Demonstration of IgG-Fc and C3 Receptors on Adult *Schistosoma mansoni*

COMMUNICATIONS

- H. O. Besedovsky, A. del Rey, and E. Sorkin 385 Lymphokine-Containing Supernatants from Con A-Stimulated Cells Increase Corticosterone Blood Levels
- E. R. Clough, D. A. Levy, and J. J. Cebra 387 CBA/N × BALB/cJ F₁ Male and Female Mice Can Be Primed to Express Quantitatively Equivalent Secondary Anti-phosphocholine Responses