

Luminex
complexity simplified.



**Simple, Compact, and
Affordable Cell Analysis.**
Muse® Cell Analyzer.

LEARN MORE >



131 (2)

J Immunol 1983; 131:533-1043; ;
<http://www.jimmunol.org/content/131/2.citation>

This information is current as
of September 20, 2020.

Why *The JI*? [Submit online.](#)

- **Rapid Reviews!** 30 days* from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

*average

- Subscription** Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>
- Permissions** Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>
- Email Alerts** Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

COMMUNICATIONS

- M. H. Bocchieri, O. A. Batuman, S. P. Hauptman, I. M. Zitron, and J. B. Smith 533 Ontogeny of Interleukin 2 Responsive Cells in the Fetal Thymus
- E. A. Rinnooy Kan, C. Y. Wang, L. C. Wang, and R. L. Evans 536 Noncovalently Bonded Subunits of 22 and 28 kd are Rapidly Internalized by T Cells Reacted with Anti-Leu-4 Antibody
- D. A. Clark, R. M. Slapsys, B. A. Croy, and J. Rossant 540 Suppressor Cell Activity in Uterine Decidua Correlates with Success or Failure of Murine Pregnancies
- R. L. Yowell, B. C. Cole, and R. A. Daynes 543 Utilization of T Cell Hybridomas to Establish that a Soluble Factor Derived from *Mycoplasma arthritidis* is Truly a Genetically Restricted Polyclonal T Cell Activator
- M. S. Sandrin, P. M. Hogarth, and I. F. C. McKenzie 546 Two "Qa" Specificities: Qa-m7 and Qa-m8 Defined by Monoclonal Antibodies
- H. Buszello, C. Pottmeyer, and W. Dröge 548 Frequencies of Alloreactive and Self-Restricted Cytotoxic T Cell Precursors During Lymphatic Regeneration
- D. G. Payan and E. J. Goetzel 551 Specific Suppression of Human T Lymphocyte Function by Leukotriene B4

CELLULAR IMMUNOLOGY

- B. L. Pike, D. L. Vaux, and G. J. V. Nossal 554 Single Cell Studies on Hapten-Specific B Lymphocytes: Differential Cloning Efficiency of Cells of Various Sizes
- D. M. Rennick, P. R. Morrow, and E. Benjamini 561 Functional Heterogeneity of Memory B Lymphocytes: *In Vivo* Analysis of TD-Primed B Cells Responsive to Secondary Stimulation with TD and TI Antigens
- D. M. Rennick, P. R. Morrow, and E. Benjamini 567 Two Stages of B Cell Memory Development Expressing Differential Sensitivity to Stimulation with Thymus-Dependent and Thymus-Independent Antigenic Forms
- K. S. Landreth, P. W. Kincade, G. Lee, and E. S. Medlock 572 Phenotypic and Functional Characterization of Murine B Lymphocyte Precursors Isolated from Fetal and Adult Tissues
- M. J. H. Ratcliffe and M. H. Julius 581 Two Classes of Bystander B Cell Response: Activation Requirements Reflect those of B Cells in General
- M. Piper, P. S. Pillai, and D. W. Scott 587 Hapten-Specific Murine Colony-Forming B Cells. III. Delineation of Functional B Cell Subpopulations Grown under Different Conditions
- F. D. Finkelman, J. J. Mond, and E. S. Metcalf 593 Effects of Neonatal Anti- δ Antibody Treatment on the Murine Immune System. I. Suppression of Development of Surface IgD⁺ B Cells and Expansion of a Surface IgM⁺ IgD⁻ B Lymphocyte Population
- E. S. Metcalf, J. J. Mond, and F. D. Finkelman 601 Effects of Neonatal Anti- δ Antibody Treatment on the Murine Immune System. II. Functional Capacity of a Stable sIgM⁺sIa⁺sIgD⁻ B Cell Population
- O. Kanagawa 606 Three Different Signals are Required for the Induction of Cytolytic T Lymphocytes from Resting Precursors
- A. M. Krensky, F. Sanchez-Madrid, E. Robbins, J. Nagy, T. A. Springer, and S. J. Burakoff 611 The Functional Significance, Distribution, and Structure of LFA-1, LFA-2, and LFA-3: Cell Surface Antigens Associated with CTL-Target Interactions
- N. L. Ascher, S. Chen, R. A. Hoffman, and R. L. Simmons 617 Maturation of Cytotoxic T Cells within Sponge Matrix Allografts
- H. Yang, C. A. Cain, and W. A. F. Tompkins 622 Induction of Thy 1.2 Homologue-Positive and Thy 1.2 Homologue-Negative Nonspecific Cytotoxic Lymphocytes in the Hamster
- C. N. Baxevanis, Z. A. Nagy, and J. Klein 628 The Nature of the Interaction between Suppressor and Helper T Cells in the Response to LDH_B
- J. J. Mond, J. Farrar, W. E. Paul, J. Fuller-Farrar, M. Schaefer, and M. Howard 633 T Cell Dependence and Factor Reconstitution of *In Vitro* Antibody Responses to TNP-*B. abortus* and TNP-Ficoll: Restoration of Depleted Responses with Chromatographed Fractions of a T Cell Derived Factor

Continued on page 4

Continued from page 3

P. S. Nagarkatti and D. A. Clark	638	<i>In Vitro</i> Activity and <i>In Vivo</i> Correlates of Alloantigen-Specific Murine Suppressor T Cells Induced by Allogeneic Pregnancy
J. H. Helderman	644	T Cell Cooperation for the Genesis of B Cell Insulin Receptors
S. Arai, H. Yamamoto, K. Itoh, and K. Kumagai	651	Suppressive Effect of Human Natural Killer Cells on Pokeweed Mitogen-Induced B Cell Differentiation
M. Hurme and M. Sihvola	658	Natural Killer (NK) Cell Activity During Lymphatic Regeneration: Early Appearance of Thy-1 ⁺ NK Cells and Highly Interleukin 2-(1L 2) Receptive, Thy-1 ⁻ Cells
T. Hattori, F. Hirata, T. Hoffman, A. Hizuta, and R. B. Herberman	662	Inhibition of Human Natural Killer (NK) Activity and Antibody Dependent Cellular Cytotoxicity (ADCC) by Lipomodulin, a Phospholipase Inhibitory Protein
G. Nuñez, E. J. Ball, and P. Stastny	666	Accessory Cell Function of Human Endothelial Cells. I. A Subpopulation of Ia Positive Cells is Required for Antigen Presentation
S. Schwarzbaum and B. Diamond	674	The J744.2 Cell Line Presents Antigen in an I-Region Restricted Manner

CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

H. Spits, H. IJssel, A. Thompson, and J. E. deVries	678	Human T4 ⁺ and T8 ⁺ Cytotoxic T Lymphocyte Clones Directed at Products of Different Class II Major Histocompatibility Complex Loci
J. G. Wilson, T. F. Tedder, and D. T. Fearon	684	Characterization of Human T Lymphocytes that Express the C3b Receptor
J. M. Depper, W. J. Leonard, R. J. Robb, T. A. Waldmann, and W. C. Greene	690	Blockade of the Interleukin-2 Receptor by Anti-Tac Antibody: Inhibition of Human Lymphocyte Activation
D. E. Van Epps, D. A. Durant, and J. W. Potter	697	Migration of Human Helper/Inducer T Cells in Response to Supernatants from Con A-Stimulated Suppressor/Cytotoxic T Cells
L. J. Nell and J. W. Thomas	701	The Human Immune Response to Insulin. I. Kinetic and Cellular Aspects of Lymphocyte Proliferative Responses in Diabetics
M. Roebber, R. Hussain, D. G. Klapper, and D. G. Marsh	706	Isolation and Properties of a New Short Ragweed Pollen Allergen, Ra6
S. J. LeGrue, A. W. Friedman, and B. D. Kahan	712	Binding of Cyclosporine by Human Lymphocytes and Phospholipid Vesicles
S. Fong, T. A. Gilbertson, and D. A. Carson	719	The Internal Image of IgG in Cross-Reactive Anti-Idiotypic Antibodies against Human Rheumatoid Factors
A. V. Muchmore, M. Megson, J. M. Decker, P. Knudsen, D. L. Mann, and S. Broder	725	Inhibitory Activity of Antibodies to Human Ia-like Determinants: Comparison of Intact and Pepsin-Digested Antibodies
A. Yachie, T. Miyawaki, N. Uwadana, S. Ohzeki, and N. Taniguchi	731	Sequential Expression of T Cell Activation (Tac) Antigen and Ia Determinants on Circulating Human T Cells after Immunization with Tetanus Toxoid
D. Santoli, M. K. Francis, L. Matera, and D. Ferrero	736	Induction of Proliferation and NK Activity in Human Lymphocytes by Mature Myelomonocytic Cells: Evidence for an HLA-DR-Independent MLR Stimulatory Ability of Terminally Differentiated Nonlymphoid Leukemic Cell Lines and of Normal Peripheral Blood Granulocytes
R. A. Moscicki, E. P. Amento, S. M. Krane, J. T. Kurnick, and R. B. Colvin	743	Modulation of Surface Antigens of a Human Monocyte Cell Line, U937, during Incubation with T Lymphocyte-Conditioned Medium: Detection of T4 Antigen and its Presence on Normal Blood Monocytes
H. J. Helin, R. I. Fox, and T. S. Edgington	749	The Instructor Cell for the Human Procoagulant Monocyte Response to Bacterial Lipopolysaccharide is a Leu-3a ⁺ T Cell by Fluorescence-Activated Cell Sorting
T. Sakane, H. Kotani, S. Takada, Y. Murakawa, and Y. Ueda	753	A Defect in the Suppressor Circuits Among OKT4 ⁺ Cell Populations in Patients with Systemic Lupus Erythematosus Occurs Independently of a Defect in the OKT8 ⁺ Suppressor T Cell Function
R. I. Fox, M. Hueniken, S. Fong, S. Behar, I. Royston, S. K. Singhal, and L. Thompson	762	A Novel Cell Surface Antigen (T305) Found in Increased Frequency on Acute Leukemia Cells and in Autoimmune Disease States
F. Hasler, H. G. Bluestein, N. J. Zvaifler, and L. B. Epstein	768	Analysis of the Defects Responsible for the Impaired Regulation of EBV-Induced B Cell Proliferation by Rheumatoid Arthritis Lymphocytes. II. Role of Monocytes and the Increased Sensitivity of Rheumatoid Arthritis Lymphocytes to Prostaglandin E
B. F. Haynes, E. A. Harden, C. W. Olanow, G. S. Eisenbarth, A. S. Wechsler, L. L. Hensley, and A. D. Roses	773	Effect of Thymectomy on Peripheral Lymphocyte Subsets in Myasthenia Gravis: Selective Effect on T Cells in Patients with Thymic Atrophy
W. T. Liu, P. Vanguri, and M. L. Shin	778	Studies on Demyelination <i>In Vitro</i> : The Requirement of Membrane Attack Components of the Complement System

Continued on page 5

CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- A. Muñoz, L. Carrasco, and M. Fresno 783 Enhancement of Susceptibility of HSV-1-Infected Cells to Natural Killer Lysis by Interferon
- G. H. W. Wong, I. Clark-Lewis, J. L. McKimm-Breschkin, A. W. Harris, and J. W. Schrader 788 Interferon- γ Induces Enhanced Expression of Ia and H-2 Antigens on B Lymphoid, Macrophage, and Myeloid Cell Lines
- A. Zlotnik, W. K. Roberts, A. Vasil, E. Blumenthal, F. LaRosa, H. J. Leibson, R. O. Endres, S. D. Graham, Jr., J. White, J. Hill, P. Henson, J. R. Klein, M. J. Bevan, P. Marrack, and J. W. Kappler 794 Coordinate Production by a T Cell Hybridoma of γ -Interferon and Three Other Lymphokine Activities: Multiple Activities of a Single Lymphokine?
- R. J. M. Falkoff, A. Muraguchi, J-X Hong, J. L. Butler, C. A. Dinarello, and A. S. Fauci 801 The Effects of Interleukin 1 on Human B Cell Activation and Proliferation
- V. J. Merluzzi, K. Welte, D. M. Savage, K. Last-Barney, and R. Mertelsmann 806 Expansion of Cyclophosphamide-Resistant Cytotoxic Precursors *In Vitro* and *In Vivo* by Purified Human Interleukin 2
- L. E. Henderson, J. F. Hewetson, R. F. Hopkins III, R. C. Sowder, R. H. Neubauer, and H. Rabin 810 A Rapid, Large Scale Purification for Gibbon Interleukin 2
- T. A. Luger, J. A. Charon, M. Colot, M. Micksche, and J. J. Oppenheim 816 Chemotactic Properties of Partially Purified Human Epidermal Cell-Derived Thymocyte-Activating Factor (ETAf) for Polymorphonuclear and Mononuclear Cells
- G. J. Goodall, J. L. Hempstead, and J. I. Morgan 821 Production and Characterization of Antibodies to Thymosin β 4
- R. D. Schreiber, J. L. Pace, S. W. Russell, A. Altman, and D. H. Katz 826 Macrophage Activating Factor Produced by a T Cell Hybridoma: Physicochemical and Biosynthetic Resemblance to γ -Interferon
- D. Gemsa, K-M Debatin, W. Kramer, C. Kubelka, W. Deimann, U. Kees, and P. H. Krammer 833 Macrophage-Activating Factors from Different T Cell Clones Induce Distinct Macrophage Functions

IMMUNOCHEMISTRY

- L. N. K. Fuge Abruzzini, M. P. Zacheis, and B. D. Schwartz 845 Tryptic Peptide Disparity between Serologically Indistinguishable Guinea Pig Ia.3,5 Antigens
- M. van de Rijn, P. G. Lerch, R. W. Knowles, and C. Terhorst 851 The Thymic Differentiation Markers T6 and M241 are Two Unusual MHC Class I Antigens
- J. P. Ways and P. Parham 856 The Antigenic Structure of HLA-A2: An Analysis with Competitive Binding Assays and Monoclonal Antibodies
- Y. Ochiai, H. Furthmayr, and D. M. Marcus 864 Diverse Specificities of Five Monoclonal Antibodies Reactive with Glycophorin A of Human Erythrocytes
- S. E. Myrdal, S. Snoddy, S. Ashkar, D. W. Nixon, and F. Binkley 869 Localized Elaboration of IgA in Normal and Neoplastic Murine Mammary Cell Cultures: Relationship to Fibronectin Matrix
- C. E. Müller and K. Rajewsky 877 Isolation of Immunoglobulin Class Switch Variants from Hybridoma Lines Secreting Anti-Idiotope Antibodies by Sequential Sublining
- R. Sperling, T. Francus, and G. W. Siskind 882 Degeneracy of Antibody Specificity
- J. S. Sundsmo 886 Leukocyte Complement: A Possible Role for C5 in Lymphocyte Stimulation
- C. H. Hammer, G. Hänsch, H. D. Gresham, and M. L. Shin 892 Activation of the Fifth and Sixth Components of the Human Complement System: C6-Dependent Cleavage of C5 in Acid and the Formation of a Bimolecular Lytic Complex, C5b, 6^a
- T. A. Gaither, I. T. Magrath, M. Berger, C. H. Hammer, L. Novikovs, M. Santaella, and M. M. Frank 899 Complement Receptor Expression by Neoplastic and Normal Human Cells

Continued on page 6

IMMUNOPHARMACOLOGY

- M. J. Phillips, W. M. Gold, and E. J. Goetzl • 906 IgE-Dependent and Ionophore-Induced Generation of Leukotrienes by Dog Mastocytoma Cells
- C. Meyers, L. M. Wahl, B. M. Stadler, and R. R. Siraganian 911 Cell Cycle Associated Changes in Histamine Release from Rat Basophilic Leukemia Cells Separated by Counterflow Centrifugal Elutriation
- B. Sredni, M. M. Friedman, C. E. Bland, and D. D. Metcalfe ◀ 915 Ultrastructural, Biochemical, and Functional Characteristics of Histamine-Containing Cells Cloned from Mouse Bone Marrow: Tentative Identification as Mucosal Mast Cells
- R. M. Crapper and J. W. Schrader 923 Frequency of Mast Cell Precursors in Normal Tissues Determined by an *In Vitro* Assay: Antigen Induces Parallel Increases in the Frequency of P Cell Precursors and Mast Cells
- R. F. Lemanske, Jr., D. A. Guthman, and M. Kaliner 929 The Biologic Activity of Mast Cell Granules. VII. The Effect of Anti-Neutrophil Antibody-Induced Neutropenia on Rat Cutaneous Late Phase Reactions
- D. L. Marquardt and S. I. Wasserman 934 Modulation of Rat Serosal Mast Cell Biochemistry by *In Vivo* Dexamethasone Administration
- D. Lauffenburger, C. Rothman, and S. H. Zigmond 940 Measurement of Leukocyte Motility and Chemotaxis Parameters with a Linear Under-Agarose Migration Assay

MICROBIAL IMMUNOLOGY

- S. L. James, E. Skamene, and M. S. Meltzer 948 Macrophages as Effector Cells of Protective Immunity in Murine Schistosomiasis. V. Variation in Macrophage Schistosomulacidal and Tumoricidal Activities Among Mouse Strains and Correlation with Resistance to Reinfection
- G. R. Olds, A. El Kholly, and J. J. Ellner 954 Two Distinctive Patterns of Monocyte Immunoregulatory and Effector Functions in Heavy Human Infections with *Schistosoma mansoni*
- J. V. Weinstock and D. L. Boros ✓ 959 Modulation of Granulomatous Hypersensitivity. VI. T Lymphocyte Subsets Influence Mast Cell Density in Liver Granulomas of *Schistosoma mansoni*-Infected Mice
- A. J. G. Simpson, D. Singer, T. F. McCutchan, D. L. Sacks, and S. Sher 962 Evidence that Schistosome MHC Antigens are not Synthesized by the Parasite but are Acquired from the Host as Intact Glycoproteins
- P. Scott, D. Sacks, and A. Sher ✓ 966 Resistance to Macrophage-Mediated Killing as a Factor Influencing the Pathogenesis of Chronic Cutaneous Leishmaniasis
- J. Scharfstein, M. M. Rodrigues, C. A. Alves, W. de Souza, J. O. Previato, and L. Mendonça-Previato 972 *Trypanosoma cruzi*: Description of a Highly Purified Surface Antigen Defined by Human Antibodies
- S. D. Sharma, J. Mullenax, F. G. Araujo, H. A. Erlich, and J. S. Remington ✓ 977 Western Blot Analysis of the Antigens of *Toxoplasma gondii* Recognized by Human IgM and IgG Antibodies
- S. R. Watson, T. B. Miller, T. J. Redington, and W. E. Bullock 984 Immunoregulation in Experimental Disseminated Histoplasmosis: Flow Microfluorometry (FMF) Studies of the Thy and Lyt Phenotypes of T Lymphocytes from Infected Mice

MICROBIAL IMMUNOLOGY

- J. F. Bukowski, C. A. Biron, and R. M. Welsh 991 Elevated Natural Killer Cell-Mediated Cytotoxicity, Plasma Interferon, and Tumor Cell Rejection in Mice Persistently Infected with Lymphocytic Choriomeningitis Virus
- M. E. Nuessen, L. A. Joens, and R. D. Glock 997 Involvement of Lipopolysaccharide in the Pathogenicity of *Treponema hyodysenteriae*

MOLECULAR GENETICS

- A. Pavirani, N. McCartney-Francis, F. Jacobsen, R. G. Mage, E. P. Reddy, and L. C. Fitzmaurice 1000 Analyses of the Splenic mRNAs Expressed by Rabbits of Different Immunoglobulin Kappa Light Chain Allotypes: Conserved Sequences in the 3' Untranslated Region and Allotype-Specific Probes

Continued on page 7

TUMOR IMMUNOLOGY

P. G. Carroll and W. C. DeWolf	1007	Immune Properties of Human Teratocarcinoma. I. Human Teratocarcinoma Targets Distinguish between Natural Killer and Activated Killer Cells
R. E. Brown, R. W. Steele, D. J. Marmer, J. L. Hudson, and M. A. Brewster	1011	Fatty Acids and the Inhibition of Mitogen-Induced Lymphocyte Transformation by Leukemic Serum
S. M. Hurrell and J. M. Zarling	1017	Ly-2 ⁺ Effectors Cytotoxic for Syngeneic Tumor Cells: Generation by Allogeneic Stimulation and by Supernatants from Mixed Leukocyte Cultures
T. Barlozzari, C. W. Reynolds, and R. B. Herberman	1024	<i>In Vivo</i> Role of Natural Killer Cells: Involvement of Large Granular Lymphocytes in the Clearance of Tumor Cells in Anti-Asialo GM ₁ -Treated Rats
P. Ralph and I. Nakoinz	1028	Cell-Mediated Lysis of Tumor Targets Directed by Murine Monoclonal Antibodies of IgM and All IgG Isotypes
T. Taniyama and T. Tokunaga	1032	Monoclonal Antibodies Directed against Mouse Macrophages in Different Stages of Activation for Tumor Cytotoxicity
W. J. Johnson, P. A. Marino, R. D. Schreiber, and D. O. Adams	1038	Sequential Activation of Murine Mononuclear Phagocytes for Tumor Cytolysis: Differential Expression of Markers by Macrophages in the Several Stages of Development
Announcements	1044	
Erratum	1045	
Author Index	1046	