



Explore Spatial Biology Without Limits
Introducing the Next Generation of Precise Spatial Multiplexing
Meet CellScape™
canopy
BIOSCIENCES A BRUKER COMPANY



134 (1)

J Immunol 1985; 134:1-656; ;
<http://www.jimmunol.org/content/134/1.citation>

This information is current as
of May 21, 2022.

Why *The JI*? Submit online.

- **Rapid Reviews! 30 days*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

*average

Subscription Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>

Permissions Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>

Email Alerts Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

COMMUNICATIONS

- | | | |
|--|---|---|
| T. Söderstrom, A. Enskog, B. E. Samuelsson, and B. Cedergren | 1 | Immunoglobulin Subclass (IgG3) Restriction of Anti-P and Anti-P ^k Antibodies in Patients of the Rare p Blood Group |
| M. Ramanadham, S. V. S. Golapudi, and M. Kern | 4 | Splenic B Cells from CBA/N Mice Acquire Responsiveness to Anti-Immunoglobulin after a Brief Treatment with Pronase |
| E. M. Benson, R. B. Colvin, and P. S. Russell | 7 | Induction of Ia Antigens in Murine Renal Transplants |

CELLULAR IMMUNOLOGY

- | | | |
|---|-----|---|
| S. Wu and D. W. Thomas | 10 | Syngeneic Responses by Murine Thymocytes: A Role for Non-MHC and Non-Mis Genes |
| L. S. Wicker, G. Guelde, I. Scher, and J. J. Kenny | 16 | Regulation of T15 Idiotype Dominance. II. Genes Unlinked to the <i>Igh</i> Locus Regulate T15 Dominance of the Secondary Adoptive Transfer Response to Phosphocholine |
| S. K. Smyk, M. K. McNamar, K. S. Gleason, and H. Kohler | 23 | Differences in T15 Expression of Primary and Secondary Anti-PC Responses with T Cells from T15 ⁺ and T15 ⁻ Donors |
| C. W. Pierce, C. M. Sorensen, and J. A. Kapp | 29 | T. Cell Subsets Regulating Antibody Responses to L-Glutamic Acid ⁶⁰ -L-Alanine ³⁰ -L-Tyrosine ¹⁰ (GAT) in Virgin and Immunized Nonresponder Mice |
| M. D. Pescovitz, J. K. Lunney, and D. H. Sachs | 37 | Murine Anti-Swine T4 and T8 Monoclonal Antibodies: Distribution and Effects on Proliferative and Cytotoxic T Cells |
| C. G. Orosz and R. M. Ferguson | 45 | Suppression of <i>In Vitro</i> CML Generation by Alloactivated Lymphocytes: Analysis of Antigen-Nonspecific Suppressive Mechanisms |
| E. L. Morgan, M. L. Thoman, W. O. Weigle, and T. E. Hugli | 51 | Human C3A-Mediated Suppression of the Immune Response. I. Suppression of Murine <i>In Vitro</i> Antibody Responses Occurs through the Generation of Nonspecific Lyt-2 ⁺ Suppressor T Cell |
| A. Velardi, C. E. Grossi, and M. D. Cooper | 58 | A Large Subpopulation of Lymphocytes with T Helper Phenotype (Leu 3/t4 ⁺) Exhibits the Property of Binding to NK Cell Targets and Granular Lymphocyte Morphology |
| H.-D. Haubeck, E. Kölsch, M. Imort, A. Hasilik, and K. von Figura | 65 | Natural Killer Cell-Mediated Cytotoxicity Does Not Depend on Recognition of Mannose 6-Phosphate Residues |
| S. H. Gromkowski, W. Heagy, and E. Martz | 70 | Blocking of CTL-Mediated Killing by Monoclonal Antibodies to LFA-1 and Lyt-2.3. II. Evidence that Trypsin Pretreatment of Target Cells Removes a Non-H-2 Molecule Important in Killing |
| S. S. Graves, D. L. Evans, and D. L. Dawe | 78 | Antiprotozoan Activity in Nonspecific Cytotoxic Cells (NCC) from the Channel Catfish (<i>Ictalurus punctatus</i>) |
| R. M. DeKruyff, C. Clayberger, and H. Cantor | 86 | Monoclonal Helper T Cells Induce B Cell Responses to T-Independent Antigens: Antigen-Specific T Cells Are Directly Stimulated by Activated B Cells in the Absence of Antigen |
| M. G. Goodman and W. O. Weigle | 91 | Dissociation of Inductive from Differentiative Signals Transmitted by C8-Substituted Guanine Ribonucleosides to B Cells from SJL Mice |
| F. W. Klotz, W. E. Gathings, and M. D. Cooper | 95 | Development and Distribution of B Lineage Cells in the Domestic Cat: Analysis with Monoclonal Antibodies to Cat μ -, γ -, κ -, and λ -Chains and Heterologous Anti- α Antibodies |
| K. M. Coggeshall and J. C. Cambier | 101 | B. Cell Activation. VI. Effects of Exogenous Diglyceride and Modulators of Phospholipid Metabolism Suggest a Central Role for Diacylglycerol Generation in Transmembrane Signaling by mig |

Continued on page 4

Continued from page 3

- Y. Takai, A. Kosugi, T. Yoshio-
koda, S. Tomita, H. Fuji-
wara, and T. Hamaoka 108 T-T Cell Interaction in the Induction of Delayed-Type Hypersensitivity (DTH) Responses: Vaccinia Virus-Reactive Helper T Cell Activity Involved in Enhanced *In Vitro* Induction of DTH Responses and Its Application to Augmentation of Tumor-Specific DTH Responses
- M. K. Jenkins, C. Walten-
baugh, and S. D. Miller 114 Immunoregulatory Pathways in Adult Responder Mice. II. Regulation of Delayed-Type Hypersensitivity Responses by GAT-Specific Suppressor Factors Present in GAT-Tolerant Adult Responder Mice
- T. Tadakuma, T. Yasuda, A.
Tamura, S. Saito, T. Tsum-
ita, and K. Saito 122 Analysis of the Mode of Antigen Presentation Required for Triggering of T Cell Proliferation by Using Various Azobenzene-tyrosine Derivatives
- K. D. Cooper, P. Fox, G. Neises,
and S. I. Katz 129 Effects of Ultraviolet Radiation on Human Epidermal Cell Alloantigen Presentation: Initial Depression of Langerhans Cell-Dependent Function Is Followed by the Appearance of T6⁻ Dr⁺ Cells that Enhance Epidermal Alloantigen Presentation
- D. D. Poutsiaika, E. W.
Schroder, D. D. Taylor, E. M.
Levy, and P. H. Black 138 Membrane Vesicles Shed by Murine Melanoma Cells Selectively Inhibit the Expression of Ia Antigen by Macrophages
- D. D. Poutsiaika, D. D. Taylor,
E. M. Levy, and P. H. Black 145 Inhibition of Recombinant Interferon- γ Induced Ia Antigen Expression by Shed B16 F10 Melanoma Cell Membrane Vesicles

CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

- A. Winkelstein, R. S. Klein, T.
L. Evans, B. W. Dixon, W. L.
Holder, and L. D. Weaver 151 Defective *In Vitro* T Cell Colony Formation in the Acquired Immunodeficiency Syndrome
- M. T. Lotze, L. W. Frana, S. O.
Sharrow, R. J. Robb, and S.
A. Rosenberg 157 *In Vivo* Administration of Purified Human Interleukin 2. I. Half-Life and Immunologic Effects of the Jurkat Cell Line-Derived Interleukin 2
- N. Wakasugi and J.-L. Vireli-
zier 167 Defective IFN- γ Production in the Human Neonate. I. Dysregulation rather than Intrinsic Abnormality
- N. Wakasugi, J.-L. Virelizier,
F. Arenzana-Seisdedos, B.
Rothhut, J.-M. M. Huerta, F.
Russo-Marie, and W. Fiers 172 Defective IFN- γ Production in the Human Neonate. II. Role of Increased Sensitivity to the Suppressive Effects of Prostaglandin E
- P. D. Van Helden 177 Potential Z-DNA-Forming Elements in Serum DNA from Human Systemic Lupus Erythematosus
- J. Rauch, H. Massicotte, and H.
Tannenbaum 180 Hybridoma Anti-DNA Autoantibodies from Patients with Rheumatoid Arthritis and Systemic Lupus Erythematosus Demonstrate Similar Nucleic Acid Binding Characteristics
- Y. Murakawa, S. Takada, Y.
Ueda, N. Suzuki, T. Hoshino,
and T. Sakane 187 Characterization of T Lymphocyte Subpopulations Responsible for Deficient Interleukin 2 Activity in Patients with Systemic Lupus Erythematosus
- F. J. Dumont, R. C. Habbersett,
and L. Z. Coker 196 Subsets of Lyt-2⁺ Cells Defined by Differential Expression of the 9F3 Antigen: Alterations in Mice of the *Ipr/Ipr* Genotype
- S. A. Ahmed, M. J. Dauphinee,
and N. Talal 204 Effects of Short-Term Administration of Sex Hormones on Normal and Autoimmune Mice
- G. Rhodes, D. A. Carson, J. Val-
bracht, R. Houghten, and J.
H. Vaughan 211 Human Immune Responses to Synthetic Peptides from the Epstein-Barr Nuclear Antigen
- F. A. Levi, C. Canon, J. P.
Blum, M. Mechkouri, A. Rein-
berg, and G. Mathe 217 Circadian and/or Circahemidian Rhythms in Nine Lymphocyte-Related Variables from Peripheral Blood of Healthy Subjects
- M. V. Hobbs, E. L. Morgan, N.
L. Baker, and W. O. Weigle 223 Regulation of Antibody Responses by Rheumatoid Factor. I. Polyclonal Activation of Human B Cells by Rheumatoid Factor-Containing Preparations from Seropositive Plasma
- H. T. Petrie, D. L. Smith, L. W.
Klassen, and H. D. Kay 230 Inhibition of Human Cytotoxic T Lymphocyte Activity *In Vitro* by Autologous Peripheral Blood Granulocytes
- N. K. Damle, N. Mohaghegh-
pour, G. S. Kansas, D. M.
Fishwild, and E. G. Engleman 235 Immunoregulatory T Cell Circuits in Man: Identification of a Distinct T Cell Subpopulation of the Helper/Inducer Lineage that Amplifies the Development of Alloantigen-Specific Suppressor T Cells
- S. H. Gromkowski, A. M. Kren-
sky, E. Martz, and S. J. Bur-
akoff 244 Functional Distinctions between the LFA-1, LFA-2, and LFA-3 Membrane Proteins on Human CTL Are Revealed with Trypsin-Pretreated Target Cells

Continued on page 5

Continued from page 4

- D. F. Lobach, R. M. Scearce, and B. F. Haynes 250 The Human Thymic Microenvironment: Phenotypic Characterization of Hassall's Bodies with the Use of Monoclonal Antibodies
- T. G. Mayer, A. A. Fuller, T. C. Fuller, A. I. Lazarovits, L. A. Boyle, and J. T. Kurnick 258 Characterization of *In Vivo*-Activated Allospecific T Lymphocytes Propagated from Human Renal Allograft Biopsies Undergoing Rejection
- E. Platzter, B. Y. Rubin, L. Lu, K. Welte, H. E. Broxmeyer, and M. A. S. Moore 265 OKT3 Monoclonal Antibody Induces Production of Colony-Stimulating Factor(s) for Granulocytes and Macrophages in Cultures of Human T Lymphocytes and Adherent Cells
- P. J. D'Amore and S. H. Golub 272 Suppression of Human NK Cell Cytotoxicity by an MLC-Generated Cell Population
- B. D. Gitter, O. J. Finn, and R. S. Metzgar 280 Cytofluorometric Isolation of 1937, an Ia Antigen-Bearing Variant of the Ia-Negative Human Monocytic Cell Line U937
- A. J. Hance, S. Douches, R. J. Winchester, V. J. Ferrans, and R. G. Crystal 284 Characterization of Mononuclear Phagocyte Subpopulations in the Human Lung by using Monoclonal Antibodies: Changes in Alveolar Macrophage Phenotype Associated with Pulmonary Sarcoidosis

CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- J. E. Weiel, D. O. Adams, and T. A. Hamilton 293 Biochemical Models of γ -Interferon Action: Altered Expression of Transferin Receptor on Murine Peritoneal Macrophages after Treatment *In Vitro* with PMA or A23187
- R. H. Neubauer, L. Goldstein, H. Rabin, and N. Stebbing 299 Stimulation of *In Vitro* Immunoglobulin Production by α -Interferons
- G. B. Thurman, I. A. Braude, P. W. Gray, R. K. Oldham, and H. C. Stevenson 305 M1F-Like Activity of Natural and Recombinant Human γ -Interferon and Their Neutralization by Monoclonal Antibody
- S.-L. Wee, A. C. Ochoa, and F. H. Bach 310 Human Alloreactive CTL Clones: Loss and Reacquisition of Specific Cytolytic Activity Can Be Regulated by "Recombinant" Interleukin 2
- J. C. Reed, R. J. Robb, W. C. Greene, and P. C. Nowell 314 Effect of Wheat Germ Agglutinin on the Interleukin Pathway of Human T Lymphocyte Activation
- C. G. Orosz, J. W. Scott, S. Gillis, and J. H. Finke 324 Reversal of Phorbol Ester-Mediated Reduction of Cloned T Lymphocyte Cytolysis by Interleukin
- D. A. Fox, R. E. Hussey, K. A. Fitzgerald, A. Bensussan, J. F. Daley, S. F. Schlossman, and E. L. Reinherz 330 Activation of Human Thymocytes Via the 50KD T11 Sheep Erythrocyte Binding Protein Induces the Expression of Interleukin 2 Receptors on both T3⁺ and T3⁻ Populations
- H.-M. Dosch, D. White, and C. Grant 336 Reconstitution of Nude Mouse T Cell Function *In Vivo*: IL 2-Independent Effect of Human T Cells
- J. G. Giri, P. T. Lomedico, and S. B. Mizel 343 Studies on the Synthesis and Secretion of Interleukin 1. I. A 33,000 Molecular Weight Precursor for Interleukin 1
- E. P. Amento, J. T. Kurnick, and S. M. Krane 350 Interleukin 1 Production by the Human Monocyte Cell Line U937 Requires a Lymphokine Induction Signal Distinct from Interleukin 2 or Interferons
- K. Kobayashi, C. Allred, S. Cohen, and T. Yoshida 358 Role of Interleukin 1 in Experimental Pulmonary Granuloma in Mice
- O. Abehsira-Amar, C. Damais, M. Parant, and L. Chedid 365 Strain Dependence of Muramyl Dipeptide-Induced LAF (IL 1) Release by Murine-Adherent Peritoneal Cells
- C. B. Thompson, M. E. Schaefer, F. D. Finkelman, I. Scher, J. Farrar, and J. J. Mond 369 T Cell-Derived B Cell Growth Factor(s) Can Induce Stimulation of both Resting and Activated B Cells
- M. Kawano, K. Iwato, and A. Kuramoto 375 Identification and Characterization of a B Cell Growth Inhibitory Factor (BIF) on BCGF-Dependent B Cell Proliferation
- K. Takatsu, N. Harada, Y. Hara, Y. Takahama, G. Yamada, K. Dobashi, and T. Hamaoka 382 Purification and Physicochemical Characterization of Murine T Cell Replacing Factor (TRP)
- J. J. Proust, M. A. Buchholz, and A. A. Nordin 390 A. "Lymphokine-Like" Soluble Product that Induces Proliferation and Maturation of B Cells Appears in the Serum-Free Supernatant of a T Cell Hybridoma as a Consequence of Mycoplasma Contamination
- O. Kanagawa and J. M. Chiller 397 Lymphokine-Mediated Induction of Cytolytic Activity in a T Cell Hybridoma
- T. Mayumi, S. Bitoh, S. Anan, T. Hama, S. Fujimoto, and H. Yamamoto 404 Suppressor T Lymphocyte Induction by a Factor Released from Cultured Blastocysts

Continued on page 6

IMMUNOCHEMISTRY

- | | | |
|--|-----|---|
| M. R. van Schravendijk, W. E. Biddison, A. E. Berger, and J. E. Coligan | 410 | Comparative Structural Analysis of HLA-A3 Antigens Distinguishable by Cytotoxic T Lymphocytes: Variant E1 |
| N. Ishikawa, M. Kasahara, H. Ikeda, K. Ogasawara, S. Hawkin, T. Takenouchi, A. Wakisaka, Y. Kikuchi, and M. Aizawa | 417 | Demonstration of Structural Polymorphism among MB3 Light Chains by Two-Dimensional Gel Electrophoresis |
| N. F. Landolfi, R. R. Rich, and R. G. Cook | 423 | Differential Glycosylation Requirements for the Cell Surface Expression of Class I Molecules |
| S. K. Dower and D. M. Segal | 431 | Interaction of Monoclonal Antibodies with MHC Class I Antigens on Mouse Spleen Cells. II. Levels of Expression of H-2K, H-2D, and H-2L in Different Mouse Strains |
| S. Nishinarita, J. L. Claflin, and R. Lieberman | 436 | T15 D Region Germ Line Amino Acid Sequences Distinguished by Monoclonal Anti-Idiotope Antibody |
| P. A. Stearne, I. R. van Driel, B. Grego, R. J. Simpson, and J. W. Goding | 443 | The Murine Plasma Cell Antigen PC-1: Purification and Partial Amino Acid Sequence |
| S. J. Orlow, D. L. Rosenstreich, S. Pifko-Hirst, and O. M. Rosen | 449 | Purification and Distribution of a Novel Macrophage-Specific Calmodulin-Binding Glycoprotein |
| J.-M. Bidart, M. Ozturk, D. H. Bellet, M. Jolivet, H. Gras-Masse, F. Troalen, C. J. Bohuon, and J. R. Wands | 457 | Identification of Epitopes Associated with hCG and the β -hCG Carboxyl Terminus by Monoclonal Antibodies Produced against a Synthetic Peptide |
| C. L. Anderson, J. M. Spence, T. S. Edwards, and J. Nusbacher | 465 | Characterization of a Polyvalent Antibody Directed against the IgG Fc Receptor of Human Mononuclear Phagocytes |
| T. S. Edgington, L. K. Curtiss, and E. F. Plow | 471 | A Linkage between the Hemostatic and Immune Systems Embodied in the Fibrinolytic Release of Lymphocyte Suppressive Peptides |
| P. Perez, J. A. Bluestone, D. A. Stephany, and D. M. Segal | 478 | Quantitative Measurements of the Specificity and Kinetics of Conjugate Formation between Cloned Cytotoxic T Lymphocytes and Splenic Target Cells by Dual Parameter Flow Cytometry |
| J. Couderc, M. D. Kazatchkine, M. Ventura, H. T. Duc, F. Maillet, N. Thobie, and P. Liacopoulos | 486 | Activation of the Human Classical Complement Pathway by a Mouse Monoclonal Hybrid IgG1-2a Monovalent Anti-TNP Antibody Bound to TNP-Conjugated Cells |
| T. Borsos and A. Circolo | 492 | Binding and Activation of Hemolytic Complement by IgG Antibodies of Different Hapten Specificity |
| J. Tschopp, E. R. Podack, and H. J. Müller-Eberhard | 495 | The Membrane Attack Complex of Complement C5b-8 Complex as Accelerator of C9 Polymerization |
| J. J. Weis, S. K. Law, R. P. Levine, and P. P. Cleary | 500 | Resistance to Phagocytosis by Group A Streptococci: Failure of Deposited Complement Opsonins to Interact with Cellular Receptors |
| S. I. Rosenfeld, D. E. Jenkins, Jr., and J. P. Leddy | 506 | Enhanced Reactive Lysis of Paroxysmal Nocturnal Hemoglobinuria Erythrocytes by C5b-9 Does Not Involve Increased C7 Binding or Cell-Bound C3b |
| W. N. Roberts, J. G. Wilson, W. Wong, D. E. Jenkins, Jr., D. T. Fearon, K. F. Austen, and A. Nicholson-Weller | 512 | Normal Number and Function of CR1 on Affected Erythrocytes of Patients with Paroxysmal Nocturnal Hemoglobinuria |

IMMUNOPHARMACOLOGY

- | | | |
|--|-----|--|
| W. T. Lee and D. H. Conrad | 518 | The Murine Lymphocyte Receptor for IgE. III. Use of Chemical Cross-Linking Reagents to Further Characterize the B Lymphocyte Fc ϵ Receptor |
| L. B. Schwartz | 526 | Monoclonal Antibodies against Human Mast Cell Tryptase Demonstrate Shared Antigenic Sites on Subunits of Tryptase and Selective Localization of the Enzyme to Mast cells |
| T. Ishizaka, A. M. Dvorak, D. H. Conrad, J. R. Nieby, J. P. Marquette, and K. Ishizaka | 532 | Morphological and Immunological Characterization of Human Basophils Developed in Cultures of Cord Blood Mononuclear Cells |

Continued on page 7

Continued from page 6

J. Farnam, J. A. Grant, M. A. Lett-Brown, C. Hunt, D. O. Thueson, and P. G. Giclas	541	Complement- and IgE-Mediated Release of Histamine from Basophils <i>In Vitro</i> . V. Differential Effects of Drugs Modulating Arachidonic Acid Metabolism
A. S. Heiman and F. T. Crews	548	Characterization of the Effects of Phorbol Esters on Rat Mast Cell Secretion
N. E. Reiner and C. J. Malemud	556	Arachidonic Acid Metabolism by Murine Peritoneal Macrophages Infected with <i>Leishmania donovani</i> : <i>In Vitro</i> Evidence for Parasite-Induced Alterations in Cyclooxygenase and Lipoxygenase Pathways
M. D. P. Boyle, M. J. P. Lawman, A. P. Gee, and M. Young	564	Nerve Growth Factor: A Chemotactic Factor for Polymorphonuclear Leukocytes <i>In Vivo</i>

MICROBIAL IMMUNOLOGY

H. Näher, U. Sperling, and H. Hahn	569	H-2K-Restricted Granuloma Formation by Ly-2 ⁺ T Cells in Anti-Bacterial Protection to Facultative Intracellular Bacteria
Y. Fujiyama, K. Kobayashi, S. Senda, Y. Benno, T. Bamba, and S. Hosoda	573	A Novel IgA Protease from <i>Clostridium</i> sp. Capable of Cleaving IgA1 and IgA2 A2m(1) Allotype but not IgA2 A2m(2) Allotype Paraproteins
J. W. Murphy and R. L. Mosley	577	Regulation of Cell-Mediated Immunity in Cryptococcosis. III. Characterization of Second-Order T Suppressor Cells (Ts2)
S. A. Lukehart, M. R. Tam, J. Hom, S. A. Baker-Zander, K. K. Holmes, and R. C. Nowinski	585	Characterization of Monoclonal Antibodies to <i>Treponema pallidum</i>
N. M. Parish, W. I. Morrison, and T. W. Pearson	593	Identification of an Antigen Specific to <i>Trypanosoma congolense</i> by using Monoclonal Antibodies
L. Stitz, A. Althage, H. Hengartner, and R. M. Zinkernagel	598	Natural Killer Cells vs Cytotoxic T Cells in the Peripheral Blood of Virus-Infected Mice
D. M. Lopez, V. Charyulu, and R. D. Paul	603	B Cell Subsets in Spleens of Balb/c Mice: Identification and Isolation of MMTV-Expressing and MMTV-Responding Subpopulations
F. Lehmann-Grube, U. Assmann, C. Löliger, D. Moskiphidis, and J. Löhler	608	Mechanism of Recovery from Acute Virus Infection. I. Role of T Lymphocytes in the Clearance of Lymphocytic Choriomeningitis Virus from Mice
J. M. Katz, W. G. Laver, D. O. White, and E. M. Anders	616	Recognition of Influenza Virus Hemagglutinin by Subtype-Specific and Cross-Reactive Proliferative T Cells: Contribution of HA1 and HA2 Polypeptide Chains

MOLECULAR GENETICS • MOLECULAR BIOLOGY

T. Shiroishi, G. A. Evans, E. Appella, and K. Ozato	623	<i>In Vitro</i> Mutagenesis of a Mouse MHC Class I Gene for the Examination of Structure-Function Relationships
M. J. Rogers, R. N. Germain, J. Hare, E. Long, and D. S. Singer	630	Comparison of MHC Genes among Distantly Related Members of the Genus <i>Mus</i>
F. Levine, H. A. Erlich, B. Mach, and D. Pious	637	Transcriptional Regulation of HLA Class II and Invariant Chain Genes
A. S. Whitehead, H. R. Colten, C. C. Chang, and R. DeMars	641	Localization of the Human MHC-Linked Complement Genes between HLA-B and HLA-DR by using HLA Mutant Cell Lines

TUMOR IMMUNOLOGY

S. Müller and R. G. Hoover	644	T Cells with Fc Receptors in Myeloma Suppression of Growth and Secretion of MOPC-315 by T- α Cells
Y. Ibayashi, T. Uede, T. Uede, and K. Kikuchi	648	Functional Analysis of Mononuclear Cells Infiltrating into Tumors: Differential Cytotoxicity of Mononuclear Cells from Tumors of Immune and Nonimmune Rats
Obituary	655	
Announcements	657	
Author Index	661	