

Versatile by design

Learn how single cell technologies enable profiling immunotherapy response



MA900 cell sorter

SONY



137 (7)

J Immunol 1986; 137:2069-2389; ;
<http://www.jimmunol.org/content/137/7.citation>

This information is current as of June 16, 2021.

Why *The JI*? [Submit online.](#)

- **Rapid Reviews! 30 days*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

*average

- Subscription** Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>
- Permissions** Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>
- Email Alerts** Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

COMMUNICATION

- P. Perez, J. A. Titus, M. T. Lotze, F. Cuttitta, D. L. Longo, E. S. Groves, H. Rabin, P. J. Durda, and D. M. Segal 2069 Specific Lysis of Human Tumor Cells by T Cells Coated with Anti-T3 Cross-Linked to Anti-Tumor Antibody

CELLULAR IMMUNOLOGY

- P. J. Wettstein 2073 Immunodominance in the T Cell Response to Multiple Non-H-2 Histocompatibility Antigens. III. Single Histocompatibility Antigens Dominate the Male Antigen
- H. Ishikawa, T. Hino, H. Kato, H. Suzuki, and K. Saito 2080 Cytotoxic T Lymphocyte Response to Minor H-42^a Alloantigen in H-42^b Mice: Clonal Inactivation of the Precursor Cytotoxic T Lymphocytes by Veto-Like Spleen Cells That Express the H-42^a Antigen
- K.-I. Isobe, G. Kollias, A.-B. Kolsto, and F. Grosveld 2089 T Cell Independent Thy-1 Allo-Antibody Response with the Use of Transgenic Mice
- S. T. Ishizaka, C. Carnaud, and O. Stutman 2093 Differential Susceptibility of Cytotoxic and Helper T Cell Precursors to Neonatal Tolerization to Histocompatibility Antigens
- C.-C. Ting, J. A. Bluestone, M. E. Hargrove, and N.-N. Loh 2100 Expression and Function of Asialo GM1 in Alloreactive Cytotoxic T Lymphocytes
- M. A. Bookman, E. S. Groves, and L. A. Matis 2107 Expression of MEL-14 Antigen Is Not an Absolute Requirement for Dissemination to Lymph Nodes after Adoptive Transfer of Murine T Lymphocyte Clones
- C. Penit 2115 In Vivo Thymocyte Maturation: BUdR Labeling of Cycling Thymocytes and Phenotypic Analysis of Their Progeny Support the Single Lineage Model
- V. E. Kelley, D. Naor, N. Tarcic, G. N. Gaulton, and T. B. Strom 2122 Anti-Interleukin 2 Receptor Antibody Suppresses Delayed-Type Hypersensitivity to Foreign and Syngeneic Antigens
- R. L. Fairchild and J. W. Moorhead 2125 Soluble Factors in Tolerance and Contact Sensitivity to DNFB in Mice. VI. Cellular and Lymphokine Requirements for Stimulating Suppressor Factor Production in Vitro
- R. A. Sobel and R. B. Colvin 2132 Responder Strain-Specific Enhancement of Endothelial and Mononuclear Cell Ia in Delayed Hypersensitivity Reactions in (Strain 2 × Strain 13)F₁ Guinea Pigs
- C. T. Morita, W. L. Godfrey, J. W. Goodman, and G. K. Lewis 2139 Arsonate-Specific Murine T Cell Clones. III. Correlation between Clonotype Expression and Fine Specificity for Analogs of L-Tyrosine-*p*-Azobenzene-*arsonate*
- H. Kawasaki, C. A. Martin, T. Uchida, M. Usui, T. Noma, M. Minami, and M. E. Dorf 2145 Functional Analysis of Cloned Macrophage Hybridomas. V. Induction of Suppressor T Cell Responses
- S. Sonoda, T. Nakano, Y. Kanakura, T. Sonoda, H. Asai, and Y. Kitamura 2152 Hybrid Resistance to Parental Mast Cell Precursors in the Skin of (WB × C57BL/6) F₁-W/W^o Mice
- P. Sarthou, D. Primi, and P. A. Cazenave 2156 B Cell Triggering Properties of a Nontoxic Derivative of Amphotericin B
- J. Mizuguchi, W. Tsang, S. L. Morrison, M. A. Beaven, and W. E. Paul 2162 Membrane IgM, IgD, and IgG Act as Signal Transmission Molecules in a Series of B Lymphomas

Continued on page 4

CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

- H. L. Coppin and H. O. McDevitt 2168 Absence of Polymorphism between HLA-B27 Genomic Exon Sequences Isolated from Normal Donors and Ankylosing Spondylitis Patients
- R. C. Gupta, A. K. Badhwar, A. L. Bisno, and X. Berrios 2173 Detection of C-Reactive Protein, Streptolysin O, and Anti-Streptolysin O Antibodies in Immune Complexes Isolated from the Sera of Patients with Acute Rheumatic Fever
- E. Leroy, C. F. Calvo, M. Divine, M-F. Gourdin, F. Baujean, M. H. Ben Aribia, Z. Mishal, J.-P. Vernant, J.-P. Farcet, and A. Senik 2180 Persistence of T8⁺/HNK-1⁺ Suppressor Lymphocytes in the Blood of Long-Term Surviving Patients after Allogeneic Bone Marrow Transplantation
- J. R. Richert, J. W. Rose, C. Reuben-Burnside, M. C. Kearns, S. Jacobson, E. S. Mingioli, R. J. Hartzman, H. F. McFarland, and D. E. McFarlin 2190 Polypeptide Specificities of Measles Virus-Reactive T Cell Lines and Clones Derived from a Patient with Multiple Sclerosis
- M. A. Agius and D. P. Richman 2195 Suppression of Development of Experimental Autoimmune Myasthenia Gravis with Isogenic Monoclonal Antiidiotypic Antibody
- S. M. Wahl, J. B. Allen, S. Dougherty, V. Evequoz, D. H. Pluznik, R. L. Wilder, A. R. Hand, and L. M. Wahl 2199 T Lymphocyte-Dependent Evolution of Bacterial Cell Wall-Induced Hepatic Granulomas

CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- S. R. Mehta, S. R. Grant, and A. L. Maizel 2210 Characterization of the Cell Surface Receptors for Human B Cell Growth Factor of 12,000 Molecular Weight
- J. Mizuguchi, M. A. Beaven, J. Ohara, and W. E. Paul 2215 BSF-1 Action on Resting B Cells Does Not Require Elevation of Inositol Phospholipid Metabolism or Increased [Ca²⁺]_i
- A. O'Garra, D. J. Warren, M. Holman, A. M. Popham, C. J. Sanderson, and G. G. B. Klaus 2220 Effects of Cyclosporine on Responses of Murine B Cells to T Cell-Derived Lymphokines
- J. P. Jakway, W. R. Usinger, M. R. Gold, R. I. Mishell, and A. L. DeFranco 2225 Growth Regulation of the B Lymphoma Cell Line WEHI-231 by Anti-Immunoglobulin, Lipopolysaccharide, and Other Bacterial Products
- J. G. Cannon, J. B. Tatro, S. Reichlin, and C. A. Dinarello 2232 α -Melanocyte Stimulating Hormone Inhibits Immunostimulatory and Inflammatory Actions of Interleukin 1
- P. M. Flood, C. Waltenbaugh, T. Tada, B. Chue, and D. B. Murphy 2237 Serologic Heterogeneity in I-J Determinants Associated with Functionally Distinct T Cell Regulatory Factors
- A. Kemp, L. Mellow, and E. Sabbadini 2245 Inhibition of Interleukin 1 Activity by a Factor in Submandibular Glands of Rats
- F. D. Finkelman, T. R. Malek, E. M. Shevach, and J. J. Mond 2252 In Vivo and in Vitro Expression of an Interleukin 2 Receptor by Murine B and T Lymphocytes
- R. Ceredig 2260 Proliferation in Vitro and Interleukin Production by 14 Day Fetal and Adult Lyt-2⁻/L3T4⁻ Mouse Thymocytes
- T. Kalland 2268 Interleukin 3 Is a Major Negative Regulator of the Generation of Natural Killer Cells from Bone Marrow Precursors
- M. Tsujimoto, R. Feinman, and J. Vilček 2272 Differential Effects of Type I IFN and IFN- γ on the Binding of Tumor Necrosis Factor to Receptors in Two Human Cell Lines
- M. Kirstein, W. Fiers, and C. Baglioni 2277 Growth Inhibition and Cytotoxicity of Tumor Necrosis Factor in L929 Cells Is Enhanced by High Cell Density and Inhibition of mRNA Synthesis
- M. K. Warren and P. Ralph 2281 Macrophage Growth Factor CSF-1 Stimulates Human Monocyte Production of Interferon, Tumor Necrosis Factor, and Colony Stimulating Activity

Continued on page 5

IMMUNOCHEMISTRY

- L. L. Lanier, J. J. Ruitenber, J. P. Allison, and A. Weiss 2286 Distinct Epitopes on the T Cell Antigen Receptor of HPB-All Tumor Cells Identified by Monoclonal Antibodies
- M. Samson, J.-L. Cousin, and M. Fehlmann 2293 Cross-Linking of Insulin Receptors to MHC Antigens in Human B Lymphocytes: Evidence for Selective Molecular Interactions
- N. J. Stam, H. Spits, and H. L. Ploegh 2299 Monoclonal Antibodies Raised against Denatured HLA-B Locus Heavy Chains Permit Biochemical Characterization of Certain HLA-C Locus Products
- J. H. O'Grady, R. J. Looney, and C. L. Anderson 2307 The Valence for Ligand of the Human Mononuclear Phagocyte 72kD High-Affinity IgG Fc Receptor Is One
- B. Singh, C. A. Waters, and D. Swanlund 2311 Alloantigenic Sites on Class I Major Histocompatibility Complex Antigens: 61-69 Region in the First Domain of the H-2kb Molecule Induces Specific Antibody and T Cell Responses
- J. Pène, V. Rousseau, H. Zaghouani, P. Paraoutaud, A. D. Strosberg, and M. Stanislawski 2319 Monoclonal Anti- α (1 \rightarrow 3) Dextran Antibodies of Igh^a BALB/c and Igh^b C.B20 Mice Display Striking Similarities
- A. Kulczycki, Jr., J. Trial, J. M. Connolly, S. Sharp, and J. A. Kapp 2325 Structure and Expression of Fc γ Receptors on Mouse Suppressor T Cell Hybridomas
- T. J. Hall and M. B. Rittenberg 2331 The Interaction of Monomeric and Complexed Mouse Monoclonal IgG with Rat Basophilic Leukemia Cells: A Subset of IgG Molecules Can Bind to RBL Cell Fc Receptors for IgG

MICROBIAL IMMUNOLOGY

- S. M. Phillips, E. G. Fox, N. G. Fathelbab, and D. Walker 2339 Epitopic and Paratopically Directed Anti-Idiotypic Factors in the Regulation of Resistance to Murine Schistosomiasis Mansoni
- G. E. Grau, P.-F. Piguet, H. D. Engers, J. A. Louis, P. Vasalli, and P.-H. Lambert 2348 L3T4⁺ T Lymphocytes Play a Major Role in Pathogenesis of Murine Cerebral Malaria
- V. J. Dindzans, E. Skamene, and G. A. Levy 2355 Susceptibility/Resistance to Mouse Hepatitis Virus Strain 3 and Macrophage Procoagulant Activity Are Genetically Linked and Controlled by Two Non-H-2-Linked Genes
- N. I. A. Carlin, M. A. J. Gidney, A. A. Lindberg, and D. R. Bundle 2361 Characterization of *Shigella flexneri*-Specific Murine Monoclonal Antibodies by Chemically Defined Glycoconjugates

MOLECULAR BIOLOGY • MOLECULAR GENETICS

- V. H. Pepe, G. E. Sonenshein, M. I. Yoshimura, and M. J. Shulman 2367 Gene Transfer of Immunoglobulin Light Chain Restores Heavy Chain Secretion

TUMOR IMMUNOLOGY

- A. Celada and R. D. Schreiber 2373 Role of Protein Kinase C and Intracellular Calcium Mobilization in the Induction of Macrophage Tumoricidal Activity by Interferon- γ
- Z. K. Ballas 2380 Lymphokine-Activated Killer Cells (LAK). I. Differential Recovery of LAK, Natural Killer Cells, and Cytotoxic T Lymphocytes after a Sublethal Dose of Cyclophosphamide
- J. A. Roth, R. S. Ames, C. Restrepo, and P. Scuderi 2385 Monoclonal Antibody 45-2D9 Recognizes a Cell Surface Glycoprotein on a Human c-Ha-ras Transformed Cell Line (45-342) and a Shared Epitope on Human Tumors
- Announcements 2390
- Author Index 2393