



Explore what's possible with innovative
research tools

Discover the difference >



139 (3)

J Immunol 1987; 139:657-982; ;
<http://www.jimmunol.org/content/139/3.citation>

This information is current as
of September 22, 2021.

Why *The JI*? [Submit online.](#)

- **Rapid Reviews! 30 days*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

**average*

Subscription Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>

Permissions Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>

Email Alerts Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

CELLULAR IMMUNOLOGY

- | | | |
|--|-----|---|
| R. L. Moldwin, W. L. Havran, G. J. Nau, D. W. Lancki, D.-K. Kim, and F. W. Fitch | 657 | Antibodies to the L3T4 and Lyt-2 Molecules Interfere with Antigen Receptor-Driven Activation of Cloned Murine T Cells |
| T. Takeuchi, S. F. Schlossman, and C. Morimoto | 665 | The T4 Molecule Differentially Regulating the Activation of Subpopulations of T4 ⁺ Cells |
| J. D. Dasgupta and E. J. Yunis | 672 | Receptor-Like Role of HLA-Class I Antigens: Regulation of T Cell Activation |
| P. Anderson, M.-L. Blue, C. Morimoto, and S. F. Schlossman | 678 | Cross-linking of T3 (CD3) with T4 (CD4) Enhances the Proliferation of Resting T Lymphocytes |
| J. H. Phillips and L. L. Lanier | 683 | Acquisition of Non-MHC Restricted Cytotoxic Function by IL 2 Activated Thymocytes with an "Immature" Antigenic Phenotype |
| M. N. ElMasry, E. J. Fox, and R. R. Rich | 688 | Sequential Effects of Prostaglandins and Interferon- γ on Differentiation of CD8 ⁺ Suppressor Cells |
| K. L. Elkins, P. W. Stashak, and P. J. Baker | 695 | Cell-Associated IgM, But Not IgD or I-A/E, Is Important in the Activation of Suppressor T Cells by Antigen-Primed B Cells |
| G. J. Deenan, S. V. Hunt, and D. Opstelten | 702 | A Stathmokinetic Study of B Lymphocytopoiesis in Rat Bone Marrow: Proliferation of Cells Containing Cytoplasmic μ -Chains, Terminal Deoxynucleotidyl Transferase and Carrying HIS24 Antigen |
| C. S. Reiss, D. Wang, D. Ghosh, C. Gaposchkin, and E. Kieff | 711 | Recognition of EBV Plasma Membrane Protein Expressed on Murine Cells after Gene Transfer |
| D. H. Maurer, J. H. Hanke, E. Mickelson, R. R. Rich, and M. S. Pollack | 715 | Differential Presentation of HLA-DR, DQ, and DP Restriction Elements by Interferon- γ -Treated Dermal Fibroblasts |
| H. A. Young and J. R. Ortaldo | 724 | One-Signal Requirement for Interferon- γ Production by Human Large Granular Lymphocytes |

CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

- | | | |
|--|-----|---|
| R. A. Eisenberg, S. Y. Craven, and P. L. Cohen | 728 | Isotype Progression and Clonality of Anti-Sm Autoantibodies in MRL/Mp-lpr-lpr Mice |
| K. M. Weston, E. T. H. Yeh, M.-S. Sy | 734 | Autoreactivity Accelerates the Development of Autoimmunity and Lymphoproliferation in MRL/Mp-lpr/lpr Mice |
| H. R. Bergen III, M. J. Losman, T. O'Connor, W. Zacharias, J. E. Larson, M. A. Accavitti, R. D. Wells, and W. J. Koopman | 743 | Specificity of Monoclonal Anti-Z-DNA Antibodies from Unimmunized MRL/Mp-lpr/lpr Mice |
| A. M. Stanisz, R. Scicchitano, P. Dazin, J. Bienenstock, and D. G. Payan | 749 | Distribution of Substance P Receptors on Murine Spleen and Peyer's Patch T and B Cells |
| P. Pinkston, C. Saltini, J. Müller-Quernheim, and R. G. Crystal | 755 | Corticosteroid Therapy Suppresses Spontaneous Interleukin 2 Release and Spontaneous Proliferation of Lung T Lymphocytes of Patients with Active Pulmonary Sarcoidosis |

Continued on page 4

CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- | | | |
|--|-----|---|
| K. Morikawa, H. Kubagawa, T. Suzuki, and M. D. Cooper | 761 | Recombinant Interferon- α , - β , and - γ Enhance the Proliferative Response of Human B Cells |
| D. S. Reynolds, W. H. Boom, and A. K. Abbas | 767 | Inhibition of B Lymphocyte Activation by Interferon- γ |
| K. Nakajima, T. Hirano, K. Koyama, and T. Kishimoto | 774 | Detection of Receptors for Murine B Cell Stimulatory Factor 1 (BSF1): Presence of Functional Receptors on CBA/N Splenic B Cells |
| R. Bazin and R. Lemieux | 780 | Role of Macrophage-Derived Hybridoma Growth Factor in the <i>in Vitro</i> and <i>in Vivo</i> Proliferation of Newly Formed B Cell Hybridomas |
| T. Yoshimura, K. Matsushima, J. J. Oppenheim, and E. J. Leonard | 788 | Neutrophil Chemotactic Factor Produced by Lipopolysaccharide (LPS)-Stimulated Human Blood Mononuclear Leukocytes: Partial Characterization and Separation from Interleukin 1 (IL 1) |
| N. Haeffner-Cavaillon, J.-M. Cavaillon, M. Laude, M. D. Kazatchkine | 794 | C3a(C3adesArg) Induces Production and Release of Interleukin 1 by Cultured Human Monocytes |
| L. Nencioni, L. Villa, A. Tagliabue, G. Antoni, R. Presentini, F. Perin, S. Silvestri, and D. Broaschi | 800 | <i>In Vivo</i> Immunostimulating Activity of the 163-171 Peptide of Human IL-1 β |
| D. Radzioch, M. Clayton, and L. Varesio | 805 | Interferon- α , - β , and - γ Augment the Levels of rRNA Precursors in Peritoneal Macrophages But Not in Macrophage Cell Lines and Fibroblasts |
| R. P. Nordan, J. G. Pumphrey, and S. Rudikoff | 813 | Purification and NH ₂ -Terminal Sequence of a Plasmacytoma Growth Factor Derived from the Murine Macrophage Cell Line P388D1 |

IMMUNOCHEMISTRY

- | | | |
|---|-----|--|
| J. L. Pasquali, A. M. Knapp, A. Farradji, and A. Weryha | 818 | Mapping of Four Light Chain-Associated Idiotopes of a Human Monoclonal Rheumatoid Factor |
| A. Solomon and D. T. Weiss | 824 | Serologically Defined V Region Subgroups of Human λ Light Chains |
| S. Rojo, P. Aparicio, S. Y. Choo, J. A. Hansen, and J. A. López De Castro | 831 | Structural Analysis of an HLA-B27 Population Variant, B27f: Multiple Patterns of Amino Acid Changes within a Single Polypeptide Segment Generate Polymorphism in HLA-B27 |
| P. Aparicio, S. Rojo, D. Jaraquemada, and J. A. López De Castro | 837 | Fine Specificity of HLA-B27 Cellular Allorecognition: HLA-B27f Is a Functional Variant Distinguishable by Cytolytic T Cell Clones |
| L. J. Miller and T. A. Springer | 842 | Biosynthesis and Glycosylation of p150,95 and Related Leukocyte Adhesion Proteins |
| T. Nakajima, M. Sarfati, and G. Delespesse | 848 | Relationship between Human IgE-Binding Factors (IgE-BF) and Lymphocyte Receptors for IgE |
| R. J. Robb and R. M. Kutny | 855 | Structure-Function Relationships for the IL 2-Receptor System. IV. Analysis of the Sequence and Ligand-Binding Properties of Soluble Tac Protein |

IMMUNOPHARMACOLOGY

- | | | |
|--|-----|--|
| R. L. Stevens, K. Otsu, J. H. Weis, R. V. Tantravahi, K. F. Austen, P. A. Henkart, M. C. Galli, and C. W. Reynolds | 863 | Co-Sedimentation of Chondroitin Sulfate A Glycosaminoglycans and Proteoglycans with the Cytolytic Secretory Granules of Rat Large Granular Lymphocyte (LGL) Tumor Cells, and Identification of a mRNA in Normal and Transformed LGL that Encodes Proteoglycans |
| K. Hellstrand and S. Hermodsson | 869 | Role of Serotonin in the Regulation of Human Natural Killer Cell Cytotoxicity |
| J. J. Solovera, M. Alvarez-Mon, J. Casas, J. Carballido, and A. Durantez | 876 | Inhibition of Human Natural Killer (NK) Activity by Calcium Channel Modulators and a Calmodulin Antagonist |
| R. F. Stump, J. M. Oliver, E. J. Cragoe, Jr., and G. G. Deanin | 881 | The Control of Mediator Release from RBL-2H3 Cells: Role for Ca ²⁺ , Na ⁺ , and Protein Kinase C |
| T. M. Chiang, A. Jin, and A. H. Kang | 887 | Platelet-Collagen Interaction: Inhibition by a Monoclonal Antibody Raised against Collagen Receptor |

Continued on page 5

Continued from page 4

- D. B. Chandler and J. D. Fulmer 893 Prostaglandin Synthesis and Release by Subpopulations of Rat Alveolar Macrophages
- H. Kriegbaum, B. Benninghoff, B. Häcker-Shahin, and W. Dröge 899 Correlation of Immunogenicity and Production of Ornithine by Peritoneal Macrophages
- B. M. Susskind and J. Chandrasekaran 905 Inhibition of Cytolytic T Lymphocyte Maturation with Ornithine, Arginine, and Putrescine

MICROBIAL IMMUNOLOGY

- E. K. Godney and C. J. Gauntt 913 Murine Natural Killer Cells Limit Coxsackievirus B3 Replication
- S. M. Phillips, G. P. Linette, B. L. Doughty, J. E. Byram, and F. von Lichtenberg 919 In Vivo T Cell Depletion Regulates Resistance and Morbidity In Murine Schistosomiasis
- B. C. Cole, J. W. Tuller, and G. J. Sullivan 927 Stimulation of Mouse Lymphocytes by a Mitogen Derived from *Mycoplasma arthritidis*. VI. Detection of a Non-MHC Gene(s) in the E α -Bearing RIIS Mouse Strain that Is Associated with a Specific Lack of T Cell Responses to the *M. arthritidis* Soluble Mitogen

MOLECULAR BIOLOGY • MOLECULAR GENETICS

- N. Holmes, P. Ennis, A. M. Wan, D. W. Denney, and P. Parham 936 Multiple Genetic Mechanisms Have Contributed to the Generation of the HLA-A2/A28 Family of Class I MHC Molecules
- A. Maffei, L. Scarpellino, M. Bernard, G. Carra, M. Jotterand-Bellomo, J. Guardiola, and R. S. Accolla 942 Distinct Mechanisms Regulate MHC Class II Gene Expression in B Cells and Macrophages
- M. A. Collart, D. Belin, J.-D. Vassalli, and P. Vassalli 949 Modulations of Functional Activity in Differentiated Macrophages Are Accompanied by Early and Transient Increase or Decrease in *c-fos* Gene Transcription
- W. H. Fletcher, W. W. Shiu, T. A. Ishida, D. L. Haviland, and C. F. Ware 956 Resistance to the Cytolytic Action of Lymphotoxin and Tumor Necrosis Factor Coincides with the Presence of Gap Junctions Uniting Target Cells
- L. K. Harris and J. C. Cambier 963 B Lymphocyte Activation: Transmembrane Signal Transduction by Membrane Immunoglobulin in Isolated Cell Membranes

TUMOR IMMUNOLOGY

- N. Berinstein and R. Levy 971 Treatment of a Murine B Cell Lymphoma with Monoclonal Antibodies and IL 2
- Y. Kaufmann, M. Levanon, J. Davidsohn, and B. Ramot 977 Interleukin 2 Induces Human Acute Lymphocytic Leukemia Cells to Manifest Lymphokine-Activated-Killer (LAK) Cytotoxicity
- Author Index 983