



Two data sets, one step, zero doubt

New Attune™ CytPix™ Flow Cytometer

[See it now >](#)

invitrogen
by Thermo Fisher Scientific



139 (9)

J Immunol 1987; 139:2845-3177; ;

<http://www.jimmunol.org/content/139/9.citation>

This information is current as
of December 4, 2021.

Why *The JI*? [Submit online.](#)

- **Rapid Reviews! 30 days*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

**average*

Subscription Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>

Permissions Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>

Email Alerts Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

CELLULAR IMMUNOLOGY

- | | | |
|---|------|--|
| R. A. Hess, D. P. Tschudy, and R. M. Blaese | 2845 | Immunosuppression by Succinylacetone. II. Prevention of Graft-vs-Host Disease |
| H. Yssel, J. P. Aubry, R. de Waal Malefijt, J. E. de Vries, and H. Spits | 2850 | Regulation by Anti-CD2 Monoclonal Antibody of the Activation of a Human T Cell Clone Induced by Anti-CD3 or Anti-T Cell Receptor Antibodies |
| F. A. Zuckerman and J. R. Head | 2856 | Murine Trophoblast Resists Cell-Mediated Lysis. I. Resistance to Allospecific Cytotoxic T Lymphocytes |
| A. Mathur, D. M. Kamat, B. G. Van Ness, and R. G. Lynch | 2865 | Thymus-Independent In Vivo Suppression of Ige Synthesis in a Murine IgE-Secreting Hybridoma |
| R. A. W. van Lier, J. H. A. Boot, A. J. Verhoeven, E. R. de Groot, M. Brouwer, and L. A. Aarden | 2873 | Functional Studies with Anti-CD3 Heavy Chain Isotype Switch-Variant Monoclonal Antibodies: Accessory Cell-Independent Induction of Interleukin 2 Responsiveness in T Cells by ϵ -Anti-CD3 |
| D. E. Kern, L. B. Lachmann, and P. D. Greenberg | 2880 | Lyt-2 ⁺ T Cells: Requirements for Concanavalin A-Induced Proliferation and Interleukin 2 Production |
| T. Nishimura, S. J. Burakoff, and S. H. Herrmann | 2888 | Protein Kinase C Required for Cytotoxic T Lymphocyte Triggering |
| J. P. Tite, H. G. Foellmer, J. A. Madri, and C. A. Janeway, Jr. | 2892 | Inverse Ir Gene Control of the Antibody and T Cell Proliferative Responses to Human Basement Membrane Collagen |
| J. B. Breitmeyer, J. F. Daley, H. B. Levine, and S. F. Schlossman | 2899 | The T11 (CD2) Molecule Is Functionally Linked to the T3/Ti T Cell Receptor in the Majority of T Cells |

CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

- | | | |
|---|------|--|
| G. Camussi, G. Salvidio, G. Biesecker, J. Brentjens, and G. Andres | 2906 | Heymann Antibodies Induce Complement-Dependent Injury of Rat Glomerular Visceral Epithelial Cells |
| A. M. Gewirtz, W. Y. Xu, and K. F. Mangan | 2915 | Role of Natural Killer Cells, in Comparison to T Lymphocytes and Monocytes, in the Regulation of Normal Human Megakaryocytopoiesis In Vitro |
| R. H. Weisbart, D. T. Noritake, K. K. Colburn, and R. E. Saxon | 2925 | Human Monoclonal IgG Rheumatoid Factor Has Structural Homology with Bacterial Fc Receptor Proteins |
| V. J. P. Teeuwssen, T. Logtenberg, K. H. J. Siebelink, J. M. Lange, J. Goudsmit, F. G. C. M. UytdeHaag, and A. D. M. E. Osterhaus | 2929 | Analysis of the Antigen- and Mitogen-Induced Differentiation of B Lymphocytes from Asymptomatic Human Immunodeficiency Virus-Seropositive Male Homosexuals: Discrepancy between T Cell-Dependent and T Cell-Independent Activation |
| S. L. Stanley, Jr., J. K. Bischoff, and J. M. Davie | 2936 | Antigen-Induced Rheumatoid Factors: Protein and Carbohydrate Antigens Induce Different Rheumatoid Factor Responses |
| K. Ogata, Y. Ogata, Y. Takasaki, and E. M. Tan | 2942 | Epitopes on Proliferating Cell Nuclear Antigen Recognized by Human Lupus Autoantibody and Murine Monoclonal Antibody |
| C. E. Haug, R. G. Gill, S. K. Babcock, K. J. Lafferty, D. Bellgrau, and R. Weill III | 2947 | Cyclosporine-Induced Tolerance Requires Antigens Capable of Initiating an Immune Response |
| E.-M. Zhou, T. C. Chanh, G. R. Dreesman, P. Kanda, and R. C. Kennedy | 2950 | Immune Response to Human Immunodeficiency Virus: In Vivo Administration of Anti-Idiotypic Induces an Anti-gp160 Response Specific for a Synthetic Peptide |

Continued on page 4

CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- | | | |
|---|------|---|
| S. Taira, M. Matsui, K. Hayakawa, T. Yokoyama, and H. Nariuchi | 2957 | Interleukin 2 Secretion by B Cell Lines and Splenic B Cells Stimulated with Calcium Ionophore and Phorbol Ester |
| S. Cayphas, J. Van Damme, A. Vink, R. J. Simpson, A. Billiau, and J. Van Snick | 2965 | Identification of an Interleukin HP1-Like Plasmacytoma Growth Factor Produced by L Cells in Response to Viral Infection |
| D. F. Jelinek and P. E. Lipsky | 2970 | Enhancement of Human B Cell Proliferation and Differentiation by Tumor Necrosis Factor- α and Interleukin 1 |
| T. J. Brown, M. N. Lioubin, and H. Marquardt | 2977 | Purification and Characterization of Cytostatic Lymphokines Produced by Activated Human T Lymphocytes: Synergistic Antiproliferative Activity of Transforming Growth Factor β 1, Interferon- γ , and Oncostatin M for Human Melanoma Cells |
| M. Bickel, P. Amstad, H. Tsuda, C. Sulis, R. Asofsky, S. E. Mergenhausen, and D. H. Pluznik | 2984 | Induction of Granulocyte-Macrophage Colony-Stimulating Factor by Lipopolysaccharide and Anti-Immunoglobulin M-Stimulated Murine B Cell Lines |
| K. Imamura, D. Spriggs, and D. Kufe | 2989 | Expression of Tumor Necrosis Factor Receptors on Human Monocytes and Internalization of Receptor-Bound Ligand |

IMMUNOCHEMISTRY

- | | | |
|--|------|---|
| Q.-L. Song, P. K. Gregersen, R. W. Karr, and J. Silver | 2993 | Recombination between DQ α and DO β Genes Generates Human Histocompatibility Leukocyte Antigen Class II Haplotype Diversity |
| N. K. Puri, I. D. Walker, and M. R. Brandon | 2996 | N-Terminal Amino Acid Sequence of the α and β Polypeptides from Four Distinct Subsets of Sheep Major Histocompatibility Complex Class II Molecules |
| J.-H. Chen, D. H. Kono, Z. Yong, M. S. Park, M. M. B. A. Oldstone, and D. T. Y. Yu | 3003 | A <i>Yersinia pseudotuberculosis</i> Protein Which Cross-React with HLA-B27 |
| P. A. Hamel, M. H. Klein, S. J. Smith-Gill, and K. J. Dorrington | 3012 | The Relative NonCovalent Association Constant between Immunoglobulin H and L Chains Is Unrelated to Their Expression or Antigen-Binding Activity |
| S. C. Ng and J. M. Sodetz | 3021 | Biosynthesis of C8 by Hepatocytes: Differential Expression and Intracellular Association of the α - γ - and β -Subunits |

IMMUNOPHARMACOLOGY

- | | | |
|--|------|--|
| J. G. Bender, D. E. Van Epps, and D. E. Chenoweth | 3028 | Independent Regulation of Human Neutrophil Chemotactic Receptors after Activation |
| D. Rotrosen, H. L. Malech, and J. I. Gallin | 3034 | Formyl Peptide Leukocyte Chemoattractant Uptake and Release by Cultured Human Umbilical Vein Endothelial Cells |
| O. D. Holton III, C. D. V. Black, R. J. Parker, D. G. Covell, J. Barbet, S. M. Sieber, M. J. Talley, and J. N. Weinstein | 3041 | Biodistribution of Monoclonal IgG1, F(ab') ₂ , and Fab' in Mice after Intravenous Injection: A Comparison between Anti-B Cell (Anti-LyB8.2) and Irrelevant (MOPC-21) Antibodies |
| M. L. Organist, J. Harvey, J. P. McGillis, M. Mitsuhashi, P. Melera, and D. G. Payan | 3050 | Characterization of a Monoclonal Antibody against the Lymphoblast Substance P Receptor |
| L. Harvath, C. E. McCall, D. A. Bass, and L. C. McPhail | 3055 | Inhibition of Human Neutrophil Chemotaxis by the Protein Kinase Inhibitor, 1-(5-Isoquinolinesulfonyl) Piperazine |
| I. D. Lawrence, J. A. Warner, V. L. Cohan, W. C. Hubbard, A. Kagey-Sobotka, and L. M. Lichtenstein | 3062 | Purification and Characterization of Human Skin Mast Cells: Evidence for Human Mast Cell Heterogeneity |

Continued on page 5

MICROBIAL IMMUNOLOGY

- R. M. Gorczynski 3070 Immunization with *Leishmania*-Specific T Cell Not B Cell Lines or Hybridomas Can Modulate the Response of Susceptible Mice Infected with Viable Parasites
- D. J. Tenney and P. S. Morahan 3076 Effects of Differentiation of Human Macrophage-Like U937 Cells on Intrinsic Resistance to Herpes Simplex Virus Type 1
- W. Kraus, E. Haanes-Fritz, P. Cleary, J. M. Seyer, J. B. Dale, and E. H. Beachey 3084 Sequence and Type-Specific Immunogenicity of the Amino-Terminal Region of Type 1 Streptococcal M Protein
- S. P. Klinken, K. L. Holmes, T. N. Frederickson, S. M. Erner, and H. C. Morse III 3091 Phenylhydrazine Stimulates Lymphopoiesis and Accelerates Abelson Murine Leukemia Virus-Induced Pre-B Cell Lymphomas
- D. L. Sacks and R. P. da Silva 3099 The Generation of Infective Stage *Leishmania major* Promastigotes Is Associated with the Cell-Surface Expression and Release of a Developmentally Regulated Glycolipid
- A. F. Petkus and L. L. Baum 3107 Natural Killer Cell Inhibition of Young Spherules and Endospores of *Coccidioides immitis*
- F. Y. Liew, K. Hodson, and R. Lelchuk 3112 Prophylactic Immunization against Experimental Leishmaniasis. VI. Comparison of Protective and Disease-Promoting T Cells
- P. Scott, E. Pearce, P. Natovitz, and A. Sher 3118 Vaccination against Cutaneous Leishmaniasis in a Murine Model. II. Immunologic Properties and Nonprotective Subfractions of a Soluble Promastigote Extract

MOLECULAR BIOLOGY • MOLECULAR GENETICS

- P. R. Burd, G. J. Freeman, S. D. Wilson, M. Berman, R. DeKruyff, P. R. Billings, and M. E. Dorf 3126 Cloning and Characterization of a Novel T Cell Activation Gene
- D. Güssow, R. Rein, I. Ginjaar, F. Hochstenbach, G. Seemann, A. Kottman, and H. L. Ploegh 3132 The Human β_2 -Microglobulin Gene: Primary Structure and Definition of the Transcriptional Unit
- W. Trepicchio, Jr., A. Maruya, and K. J. Barrett 3139 The Heavy Chain Genes of a Lupus Anti-DNA Autoantibody Are Encoded in the Germ line of a NonAutoimmune Strain of Mouse and Conserved in Strains of Mice Polymorphic for This Gene Locus

TUMOR IMMUNOLOGY

- Y. Suzuki, C.-M. Liu, L. Chen, D. Ben-Nathan, and E. F. Wheelock 3146 Immune Regulation of the L5178Y Murine Tumor-Dormant State. II. Interferon- γ Requires Tumor Necrosis Factor to Restrain Tumor Cell Growth in Peritoneal Cell Cultures from Tumor-Dormant Mice
- J. A. Titus, P. Perez, A. Kaubisch, M. A. Garrido, and D. M. Segal 3153 Human K/Natural Killer Cells Targeted with Hetero-Cross-Linked Antibodies Specifically Lyse Tumor Cells In Vitro and Prevent Tumor Growth In Vivo
- J. R. Ortaldo, R. Winkler-Pickett, A. C. Morgan, C. Woodhouse, R. Kantor, and C. W. Reynolds 3159 Analysis of Rat Natural Killer Cytotoxic Factor (NKCF) Produced by Rat NK Cell Lines and the Production of a Murine Monoclonal Antibody That Neutralizes NKCF
- M. A. Bookman, R. Swerdlow, and L. A. Matis 3166 Adoptive Chemoimmunotherapy of Murine Leukemia with Helper T Lymphocyte Clones
- G. A. Nores, T. Dohi, M. Taniguchi, and S.-I. Hakomori 3171 Density-Dependent Recognition of Cell Surface GM₃ by a Certain Anti-Melanoma Antibody, and GM₃ Lactone as a Possible Immunogen: Requirements for Tumor-Associated Antigen and Immunogen
- Letter to the Editor 3177
- Announcements 3178
- Author Index 3180