

Investigate small particles with unparalleled sensitivity  
**Amnis® CellStream®** Flow Cytometry System

For Research Use Only. Not for use in diagnostic procedures.



**Luminex**  
complexity simplified.



**143 (1)**

*J Immunol* 1989; 143:1-385; ;  
<http://www.jimmunol.org/content/143/1.citation>

This information is current as  
of October 17, 2021.

**Why *The JI*?** [Submit online.](#)

- **Rapid Reviews!** 30 days\* from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

*\*average*

- Subscription** Information about subscribing to *The Journal of Immunology* is online at:  
<http://jimmunol.org/subscription>
- Permissions** Submit copyright permission requests at:  
<http://www.aai.org/About/Publications/JI/copyright.html>
- Email Alerts** Receive free email-alerts when new articles cite this article. Sign up at:  
<http://jimmunol.org/alerts>

*The Journal of Immunology* is published twice each month by  
The American Association of Immunologists, Inc.,  
1451 Rockville Pike, Suite 650, Rockville, MD 20852  
All rights reserved.  
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



# Contents

## CELLULAR IMMUNOLOGY

- T. Azuma, S. Sato, S. Kitagawa, S. Hori, S. Kokudo, T. Hamaoka, and H. Fujiwara 1 Tolerance Induction of Allo-Class I H-2 Antigen-Reactive Lyt-2<sup>+</sup> Helper T Cells and Prolonged Survival of the Corresponding Class I H-2-Disparate Skin Graft
- B. L. Drake and J. R. Head 9 Murine Trophoblast Can Be Killed by Lymphokine-Activated Killer Cells
- T. F. Gajewski, J. Joyce, and F. W. Fitch 15 Antiproliferative Effect of IFN- $\gamma$  in Immune Regulation. III. Differential Selection of T<sub>H</sub>1 and T<sub>H</sub>2 Murine Helper T Lymphocyte Clones Using Recombinant IL-2 and Recombinant IFN- $\gamma$
- P. A. Kiener and R. S. Mittler 23 CD45-Protein Tyrosine Phosphatase Cross-Linking Inhibits T Cell Receptor CD3-Mediated Activation in Human T Cells
- K. L. McCoy, J. Miller, M. Jenkins, F. Ronchese, R. N. Germain, and R. H. Schwartz 29 Diminished Antigen Processing by Endosomal Acidification Mutant Antigen-Presenting Cells
- I. J. Molina, N. A. Cannon, R. Hyman, and B. T. Huber 39 Macrophages and T Cells Do Not Express MIS<sup>a</sup> Determinants
- Y.-H. Nong, R. G. Titus, J. M. C. Ribeiro, and H. G. Remold 45 Peptides Encoded by the Calcitonin Gene Inhibit Macrophage Function
- E. F. Rosloniec, L. J. Vitez, B. N. Beck, J.-M. Buerstedde, D. J. McKean, D. Landais, C. Benoist, D. Mathis, and J. H. Freed 50 I-A<sup>k</sup> Polymorphisms Define a Functionally Dominant Region for the Presentation of Hen Egg Lysozyme Peptides
- D. P. Snider and D. M. Segal 59 Efficiency of Antigen Presentation after Antigen Targeting to Surface IgD, IgM, MHC, FC $\gamma$ -RII, and B220 Molecules on Murine Splenic B Cells
- R. J. Vanderbriel, R. A. De Weger, G. Los, H. Van Loveren, G. J. Wieggers, P. A. O. Weernink, and W. D. Otter 66 Two Specific T Cell Factors That Initiate Immune Responses in Murine Allograft Systems: A Comparison of Biologic Functions
- D. A. Wall, S. Hamberg, J. L. M. Ferrara, and A. K. Abbas 74 Immunodeficiency in Graft-Versus-Host Disease (GVHD). II. Effects of GVHD-Induced Suppressor Cells on CD4<sup>+</sup> T Cell Clones

## CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

- L. A. Donoso, C. F. Merryman, T. Sery, R. Sanders, T. Vrabec, and S.-L. Fong 79 Human Interstitial Retinoid Binding Protein: A Potent Uveitopathogenic Agent for the Induction of Experimental Autoimmune Uveitis
- R. S. Geha and F. S. Rosen 84 The Evolution of MHC Restrictions in Antigen Recognition by T Cells in a Haploidentical Bone Marrow Transplant Recipient
- B. L. Kotzin, J. W. Kappler, P. C. Marrack, and L. R. Herron 89 T Cell Tolerance to Self Antigens in New Zealand Hybrid Mice with Lupus-Like Disease
- C. V. Paya, A. K. Patick, P. J. Leibson, and M. Rodriguez 95 Role of Natural Killer Cells As Immune Effectors in Encephalitis and Demyelination Induced by Theiler's Virus
- S. Shivakumar, G. C. Tsokos, and S. K. Datta 103 T Cell Receptor  $\alpha/\beta$  Expressing Double-Negative (CD4<sup>-</sup>/CD8<sup>-</sup>) and CD4<sup>+</sup> T Helper Cells in Humans Augment the Production of Pathogenic Anti-DNA Autoantibodies Associated with Lupus Nephritis

Continued on page 4

## CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- N. A. Abdullah, B. A. Torres, M. Basu, and H. M. Johnson 113 Differential Effects of Epidermal Growth Factor, Transforming Growth Factor- $\alpha$ , and Vaccinia Virus Growth Factor in the Positive Regulation of IFN- $\gamma$  Production
- W. P. Arend, D. F. Gordon, W. M. Wood, R. W. Janson, F. G. Joslin, and S. Jameel 118 IL-1 $\beta$  Production in Cultured Human Monocytes Is Regulated at Multiple Levels
- G. J. Bancroft, K. C. F. Sheehan, R. D. Schreiber, and E. R. Unanue 127 Tumor Necrosis Factor Is Involved in the T Cell-Independent Pathway of Macrophage Activation in *scid* Mice
- D. Boraschi, G. Volpini, L. Villa, L. Nencioni, G. Scapigliati, D. Nucci, G. Antoni, G. Matteucci, F. Cioli, and A. Tagliabue 131 A Monoclonal Antibody to the IL-1 $\beta$  Peptide 163–171 Blocks Adjuvanticity But Not Pyrogenicity of IL-1 $\beta$  In Vivo
- R. B. Bressler, H. L. Thompson, J. M. Keffer, and D. D. Metcalfe 135 Inhibition of the Growth of IL-3 Dependent Mast Cells from Murine Bone Marrow by Recombinant Granulocyte Macrophage-Colony-Stimulating Factor
- K. Geissler, M. Harrington, C. Srivastava, T. Leemhuis, G. Tricot, and H. E. Broxmeyer 140 Effects of Recombinant Human Colony-Stimulating Factors (CSF) (Granulocyte-Macrophage CSF, Granulocyte CSF, and CSF-1) on Human Monocyte/Macrophage Differentiation
- M. Hosoda, S. Makino, T. Kawabe, Y. Maeda, S. Satoh, M. Takami, M. Mayumi, K.-I. Arai, H. Saitoh, and J. Yodoi 147 Differential Regulation of the Low Affinity Fc Receptor for IgE (Fc $\epsilon$ R2/CD23) and the IL-2 Receptor (Tac/p55) on Eosinophilic Leukemia Cell Line (EoL-1 and EoL-3)
- C. H. June, J. A. Ledbetter, T. Lindsten, and C. B. Thompson 153 Evidence for the Involvement of Three Distinct Signals in the Induction of IL-2 Gene Expression in Human T Lymphocytes
- J. K. McIntosh, D. M. Jablons, J. J. Mule, R. P. Nordan, S. Rudikoff, M. T. Lotze, and S. A. Rosenberg 162 In Vivo Induction of IL-6 by Administration of Exogenous Cytokines and Detection of De Novo Serum Levels of IL-6 in Tumor-Bearing Mice
- P. Scuderi 168 Suppression of Human Leukocyte Tumor Necrosis Factor Secretion by the Serine Protease Inhibitor *p*-Toluenesulfonyl-L-arginine Methyl Ester (TAME)

## IMMUNOCHEMISTRY

- A. Davidson, A. Smith, J. Katz, J. L. Preud'homme, A. Solomon, and B. Diamond 174 A Cross-Reactive Idiotypic on Anti-DNA Antibodies Defines a H Chain Determinant Present Almost Exclusively on IgG Antibodies
- M. Maio, G. Tessitori, A. Pinto, M. Temponi, A. Colombatti, and S. Ferrone 181 Differential Role of Distinct Determinants of Intercellular Adhesion Molecule-1 in Immunologic Phenomena
- S. L. Reed, W. E. Keene, J. H. McKerrow, and I. Gigli 189 Cleavage of C3 by a Neutral Cysteine Proteinase of *Entamoeba histolytica*
- B. L. Rothman, M. Merrow, A. Despina, T. Kennedy, and D. L. Kreutzer 196 Effect of Lipopolysaccharide on C3 and C5 Production by Human Lung Cells
- A. Singh, E. S. Kang, J. Greenhaw, and P. Dorsett 203 Effects of In Vitro Prepared Immune Complexes on Rat Adipose Tissue Lipoprotein Lipase
- J. Szöllösi, S. Damjanovich, M. Balázs, P. Nagy, L. Trón, M. J. Fulwyler, and F. M. Brodsky 208 Physical Association between MHC Class I and Class II Molecules Detected on the Cell Surface by Flow Cytometric Energy Transfer
- L. Vespa and B. S. Zwilling 214 Expression of I-A by Macrophages from Bcg<sup>r</sup> and Bcg<sup>s</sup> Mice. Transient Expression of I-A Is Due to Degradation of MHC Class II Glycoproteins
- S.-C. Ying, H. Gewurz, C. M. Kinoshita, L. A. Potempa, and J. N. Siegel 221 Identification and Partial Characterization of Multiple Native and Neoantigenic Epitopes of Human C-Reactive Protein by Using Monoclonal Antibodies

---

**IMMUNOPHARMACOLOGY**


---

- K. Huang, S.-Y. Im, W. E. Sam- 229 Molecular Mechanisms of Lymphocyte Extravasation. III. The Loss of Lym-  
lowski, and R. A. Daynes phocyte Extravasation Potential Induced by Pertussis Toxin Is Not Me-  
diated Via the Activation of Protein Kinase C
- S. J. Klebanoff, J. M. Agosti, A. 239 Comparative Toxicity of the Horse Eosinophil Peroxidase-H<sub>2</sub>O<sub>2</sub>-Halide Sys-  
Jörg, and A. M. Walters- tem and Granule Basic Proteins  
dorph
- S. Leyraud, M.-J. Bossant, F. 245 Biosynthesis of PAF-Acether. X. Phorbol Myristate Acetate-Induced  
Joly, G. Bessou, J. Benven- PAF-Acether Biosynthesis and Acetyltransferase Activation in Human  
iste, and E. Ninio Neutrophils
- H. Saito, K. Ishizaka, and T. 250 Effect of Nonhydrolyzable Guanosine Phosphate on IgE-Mediated Activation  
Ishizaka of Phospholipase C and Histamine Release from Rodent Mast Cells
- B. S. Wilson, G. G. Deanin, J. 259 Depletion of Guanine Nucleotides with Mycophenolic Acid Suppresses IgE  
C. Standefer, D. Vanderjagt, Receptor-Mediated Degranulation in Rat Basophilic Leukemia Cells  
and J. M. Oliver

---

**MICROBIAL IMMUNOLOGY**


---

- M. Belosevic, D. S. Finbloom, 266 Administration of Monoclonal Anti-IFN- $\gamma$  Antibodies In Vivo Abrogates  
P. H. Van Der Meide, M. V. Natural Resistance of C3H/HeN Mice to Infection with *Leishmania major*  
Slyter, and C. A. Nacy
- F. Kierszenbaum, W. R. Cuña, 275 *Trypanosoma cruzi* Reduces the Number of High Affinity IL-2 Receptors  
L. A. Beltz, and M. B. Szein on Activated Human Lymphocytes by Suppressing the Expression of the  
P55 and P70 Receptor Components
- C. H. Pontzer, J. K. Russell, 280 Localization of an Immune Functional Site on Staphylococcal Enterotoxin A  
and H. M. Johnson Using the Synthetic Peptide Approach
- S. J. Richman, T. S. Vedvick, 285 Peptide Mapping of Conformational Epitopes in a Human Malarial Parasite  
and R. T. Reese Heat Shock Protein
- M. G. Scott, J. J. Tarrand, D. L. 293 Clonal Characterization of the Human IgG Antibody Repertoire to *Haemo-  
Crimmins, D. W. McCourt, N. philus influenzae* Type B Polysaccharide. II. IgG Antibodies Contain V<sub>H</sub>  
R. Siegel, C. E. Smith, and M. Genes from a Single V<sub>D</sub> Family and V<sub>L</sub> Genes from at Least Four V<sub>L</sub>  
H. Nahm Families
- M. E. Selkirk, D. A. Denham, F. 299 Heat Shock Cognate 70 Is a Prominent Immunogen in Brugian Filariasis  
Partono, and R. M. Maizels
- M. A. Tomai, B. J. Elmquist, S. 309 Macrophage-Mediated Suppression of Con A-Induced IL-2 Production in  
M. Warmka, and T. J. Fitz- Spleen Cells from Syphilitic Rabbits  
gerald

---

**MOLECULAR BIOLOGY • MOLECULAR GENETICS**


---

- H.-L. Chang, M. H. Zaroukian, 315 T200 Alternate Exon Use in Murine Lymphoid Cells Determined by Reverse  
and W. J. Esselman Transcription-Polymerase Chain Reaction
- A. L. Dent, P. J. Fink, and S. M. 322 Characterization of an Alternative Exon of the Murine T Cell Receptor  $\beta$ -  
Hedrick Chain: Pattern of Expression and Evolutionary Conservation
- J. Gorski 329 HLA-DR  $\beta$ -Chain Polymorphism. Second Domain Polymorphism Reflects  
Evolutionary Relatedness of Alleles and May Explain Public Serologic  
Epitopes
- M. R. Kepron, Y.-W. Chen, J. 334 IL-4 Induces the Specific Rearrangement of  $\gamma$ 1 Genes on the Expressed and  
W. Uhr, and E. S. Vitetta Unexpressed Chromosomes of Lipopolysaccharide-Activated Normal Mu-  
rine B Cells
- J. L. Komisar, K. Y. Leung, R. 340 Ig V<sub>H</sub> Gene Family Repertoire of Plasma Cells Derived from Lupus-Prone  
R. Crawley, N. Talal, and J. MRL/1pr and MRL/++ Mice  
M. Teale
- D. Tibensky, R. DeMars, E. W. 348 Sequence and Gene Transfer Analyses of HLA-CwBL18 (HLA-C Blank) and  
Holowachuk, and T. L. De- HLA-Cw5 Genes: Implications for the Control of Expression and Immuno-  
lovitch genicity of HLA-C Antigens

Continued on page 6

---

**TUMOR IMMUNOLOGY**

---

R. Dziarski	356	Enhancement of Mixed Leukocyte Reaction and Cytotoxic Antitumor Responses by Heparin
J. R. Ortaldo, H. A. Young, and L. Varesio	366	Modulation of CD3 <sup>-</sup> Large Granular Lymphocyte Functions by Agonist and Antagonists of Protein Kinase C: Effects on NK and Lymphokine-Activated Killer Activity and Production of IFN- $\gamma$
R. H. Wilttrout, A. M. Pilaro, M. E. Gruys, J. E. Talmadge, D. L. Longo, J. R. Ortaldo, and C. W. Reynolds	372	Augmentation of Mouse Liver-Associated Natural Killer Activity by Biologic Response Modifiers Occurs Largely Via Rapid Recruitment of Large Granular Lymphocytes from the Bone Marrow
U. Zangemeister-Wittke, B. Kyewski, and V. Schirmacher	379	Recruitment and Activation of Tumor-Specific Immune T Cells In Situ: CD8 <sup>+</sup> Cells Predominate the Secondary Response in Sponge Matrices and Exert both Delayed-Type Hypersensitivity-Like and Cytotoxic T Lymphocyte Activity
Author Index	386	