


View your cells with clarity:

Amnis® FlowSight® Imaging Flow Cytometer

[Learn More >](#)



Luminex
complexity simplified.



143 (12)

J Immunol 1989; 143:3867-4345; ;
<http://www.jimmunol.org/content/143/12.citation>

This information is current as
of May 22, 2022.

Why *The JI*? [Submit online.](#)

- **Rapid Reviews! 30 days*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

**average*

- Subscription** Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>
- Permissions** Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>
- Email Alerts** Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

CELLULAR IMMUNOLOGY

- M. Bigby, R. Vargas, and M.-S. Sy 3867 Production of Hapten-Specific T Cell Hybridomas and Their Use to Study the Effect of Ultraviolet B Irradiation on the Development of Contact Hypersensitivity
- E. A. Clark, G. L. Shu, B. Lüscher, K. E. Draves, J. Banchereau, J. A. Ledbetter, and M. A. Valentine 3873 Activation of Human B Cells: Comparison of the Signal Transduced by IL-4 to Four Different Competence Signals
- S. Demotz, P. M. Matricardi, C. Irle, P. Panina, A. Lanzavecchia, and G. Corradin 3881 Processing of Tetanus Toxin by Human Antigen-Presenting Cells: Evidence for Donor and Epitope-Specific Processing Pathways
- B. S. Fox, D. Dordai, R. L. Moore, and B. E. Lacy 3887 In Vivo Priming of Helper T Cells in the Absence of B Cell Activation
- R. F. Graziano, D. V. Erbe, and M. W. Fanger 3894 The Mechanisms of Antibody-Dependent Killing Mediated by Lymphoid and Myeloid Cells Are Distinct Based on Different Divalent Cation Requirements
- P. C. Isakson, D. D'Angelo, J. Schetz, L. Tardelli, and E. Puré 3901 Anti-Ig-Stimulated B Lymphoblasts Can Be Restimulated via Their Surface Ig
- M. Iwata, K. Katamura, R. T. Kubo, and K. Ishizaka 3909 Relationship between T Cell Receptors and Antigen-Binding Factors. I. Specificity of Functional T Cell Receptors on Mouse T Cell Hybridomas That Produce Antigen-Binding T Cell Factors
- M. Iwata, K. Katamura, R. T. Kubo, H. M. Grey, and K. Ishizaka 3917 Relationship between T Cell Receptors and Antigen-Binding Factors. II. Common Antigenic Determinants and Epitope Recognition Shared by T Cell Receptors and Antigen-Binding Factors
- J. W. Streilein and S. F. Grammer 3925 In Vitro Evidence that Langerhans Cells Can Adopt Two Functionally Distinct Forms Capable of Antigen Presentation to T Lymphocytes
- C. F. Webb, C. Das, R. L. Coffman, and P. W. Tucker 3934 Induction of Immunoglobulin μ mRNA in a B Cell Transfectant Stimulated with Interleukin-5 and a T-Dependent Antigen

CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

- H. Auchincloss, Jr. and H. J. Winn 3940 Murine CD8⁺ T Cell Helper Function Is Particularly Sensitive to Cyclosporine Suppression in Vivo
- L. P. Hale, K. H. Singer, and B. F. Haynes 3944 CD44 Antibody against In(Lu)-Related p80, Lymphocyte-Homing Receptor Molecule Inhibits the Binding of Human Erythrocytes to T Cells
- Y. Horii, A. Muraguchi, M. Iwano, T. Matsuda, T. Hirayama, H. Yamada, Y. Fujii, K. Dohi, H. Ishikawa, Y. Ohmoto, K. Yoshizaki, T. Hirano, and T. Kishimoto 3949 Involvement of IL-6 in Mesangial Proliferative Glomerulonephritis
- N. Israëli, U. Hazan, J. Alami, A. Munier, F. Arenzana-Seisdedos, F. Bachelier, A. Israëli, and J.-L. Virelizier 3956 Tumor Necrosis Factor Stimulates Transcription of HIV-1 in Human T Lymphocytes, Independently and Synergistically with Mitogens
- E. A. Jaffe, D. Armellino, G. Lam, C. Cordon-Cardo, H. W. Murray, and R. L. Evans 3961 IFN- γ and IFN- α Induce the Expression and Synthesis of Leu 13 Antigen by Cultured Human Endothelial Cells

Continued on page 4

Continued from page 3

- R.-S. Liou, E. M. Rosen, M. S. C. Fung, W. N. C. Sun, C. Sun, W. Gordon, N. T. Chang, and T. W. Chang 3967 A Chimeric Mouse-Human Antibody That Retains Specificity for HIV gp120 and Mediates the Lysis of HIV-Infected Cells
- L. K. Myers, J. M. Stuart, and A. H. Kang 3976 A CD4 Cell Is Capable of Transferring Suppression of Collagen-Induced Arthritis
- A. Novogrodsky, M. Suthanthiran, and K. H. Stenzel 3981 Immune Stimulatory Properties of Metalloporphyrins
- Y. Ueda, T. Sakane, and T. Tsunematsu 3988 Hyperreactivity of Activated B Cells to B Cell Growth Factor in Patients with Systemic Lupus Erythematosus
- L. H. Y. Young, L. B. Peterson, L. S. Wicker, P. M. Persechini, and J. Ding-E Young 3994 In Vivo Expression of Perforin by CD8⁺ Lymphocytes in Autoimmune Disease: Studies on Spontaneous and Adoptively Transferred Diabetes in Nonobese Diabetic Mice

CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- R. Civitelli, S. L. Teitelbaum, K. A. Hruska, and D. L. Lacey 4000 IL-1 Activates the Na⁺/H⁺ Antiport in a Murine T Cell
- R. G. Gill and K. J. Lafferty 4009 A Quantitative Analysis of Lymphokine Release from Activated T Cells: Evidence for a Novel Form of T-T Collaboration In Vitro
- C. M. Hawrylowicz, S. A. Santoro, F. M. Platt, and E. R. Unanue 4015 Activated Platelets Express IL-1 Activity
- D. M. Hilbert, M. P. Cancro, P. A. Scherle, R. P. Nordan, J. Van Snick, W. Gerhard, and S. Rudikoff 4019 T Cell Derived IL-6 Is Differentially Required for Antigen-Specific Antibody Secretion by Primary and Secondary B Cells
- J. R. Keller and J. N. Ihle 4025 Unique Pathway of IL-3-Driven Hemopoietic Differentiation
- B. Luettig, T. Decker, and M.-L. Lohmann-Matthes 4034 Evidence for the Existence of Two Forms of Membrane Tumor Necrosis Factor: An Integral Protein and a Molecule Attached to Its Receptor
- M. Tsudo, H. Karasuyama, F. Kitamura, Y. Nagasaka, T. Tanaka, and M. Miyasaka 4039 Reconstitution of a Functional IL-2 Receptor by the β -Chain cDNA: A Newly Acquired Receptor Transduces Negative Signal

IMMUNOCHEMISTRY

- J. D. Conger, H. J. Sage, and R. B. Corley 4044 Diversity in the Available Repertoire of Murine Antibodies Reactive with Bromelain-Treated Isologous Erythrocytes
- T. Erich, J. Schellekens, A. Bouter, J. Van Kranen, E. Brouwer, and J. Verhoef 4053 Binding Characteristics and Cross-Reactivity of Three Different Antilipid A Monoclonal Antibodies
- A. J. Feeney and D. J. Theurauf 4061 Sequence and Fine Specificity Analysis of Primary 511 Anti-Phosphorylcholine Antibodies
- C. Geisler, J. Kuhlmann, and B. Rubin 4069 Assembly, Intracellular Processing, and Expression at the Cell Surface of the Human $\alpha\beta$ T Cell Receptor/CD3 Complex: Function of the CD3- ζ Chain
- M. Lombes, B. Desfosses, N. Cittanova, and B. F. Erlanger 4078 A Syngeneic Monoclonal Anti-Idiotypic Antibody with Internal Image Properties Restricted to a Single Aldosterone-Binding System
- J. A. Madrigal, H. Ikeda, S. G. E. Marsh, J. M. Heyes, L. J. Kennedy, J. Trowsdale, and J. G. Bodmer 4084 Epitope Mapping of an HLA-DR-Specific Monoclonal Antibody Produced by Using Human-Mouse Transfectant Cells
- B. Parhami-Seren, L. Wysocki, and M. N. Margolies 4090 The Amino Acid Residues at the V_H-D-J_H Junctions Affect the Affinity of Anti-*p*-Azophenylarsonate Antibodies
- P. A. Robbins, L. A. Lettice, P. Rota, J. Santos-Aguado, J. Rothbard, A. J. McMichael, and J. L. Strominger 4098 Comparison between Two Peptide Epitopes Presented to Cytotoxic T Lymphocytes by HLA-A2: Evidence for Discrete Locations with HLA-A2
- F. Rossi and M. D. Kazatchkine 4104 Anti-idiotypes against Autoantibodies in Pooled Normal Human Polyspecific Ig

Continued on page 5

Continued from page 4

- M. G. Scott, D. L. Crimmins, D. W. McCourt, I. Zocher, R. Thiebe, H. G. Zachau, and M. H. Nahm 4110 Clonal Characterization of the Human IgG Antibody Repertoire to *Haemophilus influenzae* Type b Polysaccharide. III. A Single V_KII Gene and One of Several JK Genes Are Joined by an Invariant Arginine to Form the Most Common L Chain V Region
- L. Shen, R. Lasser, and M. W. Fanger 4117 My 43, a Monoclonal Antibody That Reacts with Human Myeloid Cells Inhibits Monocyte IgA Binding and Triggers Function
- M. P. Stenzel-Poore and M. B. Rittenberg 4123 Clonal Diversity, Somatic Mutation, and Immune Memory to Phosphocholine-Keyhole Limpet Hemocyanin

IMMUNOPHARMACOLOGY

- D. L. Coleman, J. Liu, and A. H. Bartiss 4134 Recombinant Granulocyte-Macrophage Colony-Stimulating Factor Increases Adenylate Cyclase Activity in Murine Peritoneal Macrophages
- B. A. Eppell, A. M. Newell, and E. J. Brown 4141 Adenosine Receptors Are Expressed during Differentiation of Monocytes to Macrophages In Vitro: Implications for Regulation of Phagocytosis
- E. Fernández-Ruiz, A. Rebollo, M. A. Nieto, E. Sanz, C. Somoza, F. Ramirez, A. Lopez-Rivas, and A. Silva 4146 IL-2 Protects T Cell Hybrids from the Cytolytic Effect of Glucocorticoids: Synergistic Effect of IL-2 and Dexamethasone in the Induction of High-Affinity IL-2 Receptors
- M. E. Kleinberg, D. Rotrosen, and H. L. Malech 4152 Asparagine-Linked Glycosylation of Cytochrome b₅₅₈ Large Subunit Varies in Different Human Phagocytic Cells
- M. Nambu, M. Morita, H. Watanabe, Y. Uenoyama, K.-M. Kim, M. Tanaka, Y. Iwai, H. Kimata, M. Mayumi, and H. Mikawa 4158 Regulation of Fc γ Receptor Expression and Phagocytosis of a Human Monoblast Cell Line U937: Participation of cAMP and Protein Kinase C in the Effects of IFN- γ and Phorbol Ester
- M. A. Nieto and A. López-Rivas 4166 IL-2 Protects T Lymphocytes from Glucocorticoid-Induced DNA Fragmentation and Cell Death
- L. M. Pelus 4171 Blockade of Prostaglandin Biosynthesis in Intact Mice Dramatically Augments the Expansion of Committed Myeloid Progenitor Cells (Colony-Forming Units-Granulocyte, Macrophage) after Acute Administration of Recombinant Human IL-1 α
- E. Pick, T. Kroizman, and A. Abo 4180 Activation of the Superoxide-Forming NADPH Oxidase of Macrophages Requires Two Cytosolic Components—One of Them Is Also Present in Certain Nonphagocytic Cells
- H. L. Thompson, P. D. Burbelo, Y. Yamada, H. K. Kleinman, and D. D. Metcalfe 4188 Mast Cells Chemotax to Laminin with Enhancement after IgE-Mediated Activation

MICROBIAL IMMUNOLOGY

- P. Duerksen-Hughes, W. S. M. Wold, and L. R. Gooding 4193 Adenovirus E1A Renders Infected Cells Sensitive to Cytolysis by Tumor Necrosis Factor
- B. Hammerberg, S. Nogami, K. Nakagaki, Y. Hayashi, and H. Tanaka 4201 Protective Immunity against *Brugia malayi* Infective Larvae in Mice. II. Induction by a T Cell-Dependent Antigen Isolated by Monoclonal Antibody Affinity Chromatography and SDS-PAGE
- S. L. James and J. Glaven 4208 Macrophage Cytotoxicity against Schistosomula of *Schistosoma mansoni* Involves Arginine-Dependent Production of Reactive Nitrogen Intermediates
- C. D. Jarvis, L. E. Cannon, and J. Stavnezer 4213 Mouse Antibody Response to Group A Streptococcal Carbohydrate
- P. J. Murray, T. W. Spithill, and E. Handman 4221 The PSA-2 Glycoprotein Complex of *Leishmania major* Is a Glycosylphosphatidylinositol-Linked Promastigote Surface Antigen
- J. R. Oksenberg, C. Ko, A. K. Judd, M. Lim, A. Kent, G. K. Schoolnik, and L. Steinman 4227 Multiple T and B Cell Epitopes in the S1 Subunit ("A"-Monomer) of the Pertussis Toxin Molecule
- L. Pond, D. L. Wassom, and C. E. Hayes 4232 Evidence for Differential Induction of Helper T Cell Subsets during *Trichinella spiralis* Infection

Continued on page 6

Continued from page 5

- H.-R. Rodewald, U. H. Koszowski, K. Eichmann, and I. Melchers 4238 Predominant Utilization of $V\beta_8^+$ T Cell Receptor Genes in the H-2L^d-Restricted Cytotoxic T Cell Response against the Immediate-Early Protein pp89 of the Murine Cytomegalovirus
- K. E. Squires, R. D. Schreiber, M. J. McElrath, B. Y. Rubin, S. L. Anderson, and H. W. Murray 4244 Experimental Visceral Leishmaniasis: Role of Endogenous IFN- γ in Host Defense and Tissue Granulomatous Response
- L. Stitz, D. Soeder, U. Deschl, K. Frese, and R. Rott 4250 Inhibition of Immune-Mediated Meningoencephalitis in Persistently Borna Disease Virus-Infected Rats by Cyclosporine A
- D. Wachsmann, F. Ackermans, C. Vincenzotto, M. Scholler, H. Bazin, J. Ogier, and J.-P. Klein 4257 Human IgG and *Streptococcus mutans* SR Protein Contain Cross-Reactive Epitopes
- W. R. Weiss, M. F. Good, M. R. Hollingdale, L. H. Miller, and J. A. Berzofsky 4263 Genetic Control of Immunity to *Plasmodium yoelii* Sporozoites

MOLECULAR BIOLOGY • MOLECULAR GENETICS

- M. G. Lichtenheld and E. R. Podack 4267 Structure of the Human Perforin Gene: A Simple Gene Organization with Interesting Potential Regulatory Sequences
- J. L. Pomerantz, F. Mauxion, M. Yoshida, W. C. Greene, and R. Sen 4275 A Second Sequence Element Located 3' to the NF- κ B-Binding Site Regulates IL-2 Receptor- α Gene Induction

TUMOR IMMUNOLOGY

- T. M. Ellis, R. S. McKenzie, P. E. Simms, B. A. Helfrich, and R. I. Fisher 4282 Induction of Human Lymphokine-Activated Killer Cells by IFN- α and IFN- γ
- S.-T. Fan and T. S. Edgington 4287 Sufficiency of the CD8⁺ T Cell Lineage to Mount an Effective Tumoricidal Response to Syngeneic Tumor-Bearing Novel Class I MHC Antigens
- D. E. Feltner, M. Cooper, J. Weber, M. A. Israel, and C. J. Thiele 4292 Expression of Class I Histocompatibility Antigens in Neuroectodermal Tumors Is Independent of the Expression of a Transfected Neuronal myc Gene
- Y. Fu, R. D. Paul, Y. Wang, and D. M. Lopez 4300 Thymic Involution and Thymocyte Phenotypic Alterations Induced by Murine Mammary Adenocarcinomas
- D. E. Kern, K. H. Grabstein, K. Okuno, R. D. Schreiber, and P. D. Greenberg 4308 Identification of a Unique T Cell-Derived Lymphokine That Primes Macrophages for Tumor Cytotoxicity
- E. C. Lattime and O. Stutman 4317 Tumor Growth In Vivo Selects for Resistance to Tumor Necrosis Factor
- P. D. Steen, J. R. McGregor, C. M. Lehman, and W. E. Samulowski 4324 Changes in Homing Receptor Expression on Murine Lymphokine-Activated Killer Cells during IL-2 Exposure
- R. Versteeg, L. T. C. Peltenburg, A. C. Plomp, and P. I. Schrier 4331 High Expression of the *c-myc* Oncogene Renders Melanoma Cells Prone to Lysis by Natural Killer Cells
- G. Viale, G. Flamini, F. Grassi, R. Buffa, P. G. Natali, M. Pelagi, F. Leoni, S. Ménard, and A. G. Siccardi 4338 Idiotypic Replica of an Anti-Human Tumor-Associated Antigen Monoclonal Antibody: Analysis of Monoclonal Ab1 and Ab3 Fine Specificity
- Letter to the Editor 4345
- Author Index 4346
- Ad Hoc Reviewers 4348
- Author Index to Volume 143 4353
- Subject Index to Volume 143 4363