



Vaccine Adjuvants

Take your vaccine to the next level

InVivoGen



149 (6)

J Immunol 1992; 149:1825-2240; ;
<http://www.jimmunol.org/content/149/6.citation>

This information is current as
of January 16, 2021.

Why *The JI*? [Submit online.](#)

- **Rapid Reviews! 30 days*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

**average*

Subscription Information about subscribing to *The Journal of Immunology* is online at:
<http://jimmunol.org/subscription>

Permissions Submit copyright permission requests at:
<http://www.aai.org/About/Publications/JI/copyright.html>

Email Alerts Receive free email-alerts when new articles cite this article. Sign up at:
<http://jimmunol.org/alerts>

The Journal of Immunology is published twice each month by
The American Association of Immunologists, Inc.,
1451 Rockville Pike, Suite 650, Rockville, MD 20852
All rights reserved.
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



Contents

CELLULAR IMMUNOLOGY

- E. K. Codias, T. J. Fleming, C. M. Zacharchuk, J. D. Ashwell, and T. R. Malek 1825 Role of Ly-6A/E and T Cell Receptor- ζ for IL-2 Production: Phosphatidylinositol-Anchored Ly-6A/E Antagonizes T Cell Receptor-Mediated IL-2 Production by a ζ -Independent Pathway
- P. Conrad, B. L. Rothman, K. A. Kelley, and M.-L. Blue 1833 Mechanism of Peripheral T Cell Activation by Coengagement of CD44 and CD2
- W. B. M. De Lau, S. E. Boom, K. Heije, A. W. Griffioen, E. Braakman, R. L. H. Bolhuis, W. J. M. Tax, H. Clevers, and B. J. E. G. Bast 1840 Heterodimeric Complex Formation with CD8 and TCR by Bispecific Antibody Sustains Paracrine IL-2-Dependent Growth of CD3⁺ CD8⁺ T Cells
- M. Egerton, W. H. Burgess, D. Chen, B. J. Druker, A. Bretscher, and L. E. Samelson 1847 Identification of Ezrin as an 81-kDa Tyrosine-Phosphorylated Protein in T Cells
- R. Fuleihan, F. Spertini, R. S. Geha, and T. Chatila 1853 Role of Protein Kinase Activation in the Induction of B Cell Adhesion by MHC Class II Ligands
- M. Hirokawa, J. D. Gray, T. Takahashi, and D. A. Horwitz 1859 Human Resting B Lymphocytes Can Serve as Accessory Cells for Anti-CD2 Induced to T Cell Activation
- S. J. Klaus and D. C. Parker 1867 Inducible Cell Contact Signals Regulate Early Activation Gene Expression during B-T Lymphocyte Collaboration
- L. L. Lanier, C. Chang, H. Spits, and J. H. Phillips 1876 Expression of Cytoplasmic CD3 ϵ Proteins in Activated Human Adult Natural Killer (NK) Cells and CD3 γ , δ , ϵ Complexes in Fetal NK Cells: Implications for the Relationship of NK and T Lymphocytes
- L. Majlessi, P. Benaroch, and G. Bordenave 1881 T Cell-Induced Allotypic Suppression: Origin of the CD8⁺ T Cells Maintaining IgG2a^b Suppression
- M. Ozdemirli, M. El-Khatib, L. Bastiani, H. Akdeniz, V. Kuchroo, and S.-T. Ju 1889 The Cytotoxic Process of CD4 Th1 Clones
- K. C. Parker, M. DiBrino, L. Hull, and J. E. Coligan 1896 The β_2 -Microglobulin Dissociation Rate Is an Accurate Measure of the Stability of MHC Class I Heterotrimers and Depends on Which Peptide Is Bound
- L. Vidard, K. L. Rock, and B. Benacerraf 1905 Heterogeneity in Antigen Processing by Different Types of Antigen-Presenting Cells: Effect of Cell Culture on Antigen Processing Ability
- M. C. Wacholtz, E. J. Cragoe, Jr., and P. E. Lipsky 1912 A Na⁺-Dependent Ca²⁺ Exchanger Generates the Sustained Increase in Intracellular Ca²⁺ Required for T Cell Activation
- M. E. Williams, C. M. Shea, A. H. Lichtman, and A. K. Abbas 1921 Antigen Receptor-Mediated Anergy in Resting T Lymphocytes and T Cell Clones: Correlation with Lymphokine Secretion Patterns

MOLECULAR AND STRUCTURAL IMMUNOLOGY

- J. L. Dul, O. R. Burrone, and Y. Argon 1927 A Conditional Secretory Mutant in an Ig L Chain Is Caused by Replacement of Tyrosine/Phenylalanine 87 with Histidine
- D. E. Geraghty, B. H. Koller, J. A. Hansen, and H. T. Orr 1934 The HLA Class I Gene Family Includes at Least Six Genes and Twelve Pseudogenes and Gene Fragments
- D. E. Geraghty, B. H. Koller, J. Pei, and J. A. Hansen 1947 Examination of Four HLA Class I Pseudogenes: Common Events in the Evolution of HLA Genes and Pseudogenes

Continued on page 5

Continued from page 3

- R. Giorda, E. P. Weisberg, T. K. Ip, and M. Trucco 1957 Genomic Structure and Strain-Specific Expression of the Natural Killer Cell Receptor NKR-P
- M. F. Gurish, A. F. Bell, T. J. Smith, L. A. Ducharme, R.-K. Wang, and J. H. Weis 1964 Expression of Murine β_7^- , α_4^- , and β_1 -Integrin Genes by Rodent Mast Cells
- A. J. Henderson, R. Narayanan, L. Collins, and K. Dorshkind 1973 Status of κ L Chain Gene Rearrangements and c-kit and IL-7 Receptor Expression in Stromal Cell-Dependent Pre-B Cells
- H. Messier, J. Ratanavongsiri, T. Fuller, S. Mangal, P. Kilgannon, R. Fotedar, and A. Fotedar 1980 Mapping of an Inducible Element in the T Cell Receptor V β 2 Promoter
- S. Mouritsen, M. Meldal, O. Werdelin, A. S. Hansen, and S. Buus 1987 MHC Molecules Protect T Cell Epitopes against Proteolytic Destruction
- A. Scheirle, B. Takacs, L. Kremer, F. Marin, and F. Sinigaglia 1994 Peptide Binding to Soluble HLA-DR4 Molecules Produced by Insect Cells
- M. F. Smith, Jr., D. Eidlen, M. T. Brewer, S. P. Eisenberg, W. P. Arend, and A. Gutierrez-Hartmann 2000 Human IL-1 Receptor Antagonist Promoter: Cell Type-Specific Activity and Identification of Regulatory Regions
- T. W. Soong and K. M. Hui 2008 Locus-Specific Transcriptional Control of HLA Genes

IMMUNE MODULATION

- A. Mackiewicz, H. Schooltink, P. C. Heinrich, and S. Rose-John 2021 Complex of Soluble Human IL-6-Receptor/IL-6 Up-Regulates Expression of Acute-Phase Proteins
- D. M. Pinson, R. D. LeClaire, R. B. Lorsbach, M. J. Parmely, and S. W. Russell 2028 Regulation by Transforming Growth Factor- β 1 of Expression and Function of the Receptor for IFN- γ on Mouse Macrophages
- T. J. Standiford, R. M. Strieter, R. Allen, M. D. Burdick, and S. L. Kunkel 2035 IL-7 Up-Regulates the Expression of IL-8 from Resting and Stimulated Human Blood Monocytes
- E. Vey, J.-H. Zhang, and J.-M. Dayer 2040 IFN- γ and 1,25(OH) $_2$ D $_3$ Induce on THP-1 Cells Distinct Patterns of Cell Surface Antigen Expression, Cytokine Production, and Responsiveness to Contact with Activated T Cells

HOST DEFENSE

- B.-A. Biggs, R. F. Anders, H. E. Dillon, K. M. Davern, M. Martin, C. Petersen, and G. V. Brown 2047 Adherence of Infected Erythrocytes to Venular Endothelium Selects for Antigenic Variants of *Plasmodium falciparum*
- R. W. Finberg, W. White, and A. Nicholson-Weller 2055 Decay-Accelerating Factor Expression on Either Effector or Target Cells Inhibits Cytotoxicity by Human Natural Killer Cells
- R. H. Goldfarb, K. Wasserman, R. B. Heberman, and R. P. Kitson 2061 Nongranular Proteolytic Enzymes of Rat IL-2-Activated Natural Killer Cells. I. Subcellular Localization and Functional Role
- S. J. Green, T.-Y. Chen, R. M. Crawford, C. A. Nacy, D. C. Morrison, and M. S. Meltzer 2069 Cytotoxic Activity and Production of Toxic Nitrogen Oxides by Macrophages Treated with IFN- γ and Monoclonal Antibodies against the 73-kDa Lipopolysaccharide Receptor
- S. E. Karp, P. Hwu, A. Farber, N. P. Restifo, M. Kriegler, J. J. Mulé, and S. A. Rosenberg 2076 In Vivo Activity of Tumor Necrosis Factor (TNF) Mutants: Secretory but Not Membrane-Bound TNF Mediates the Regression of Retrovirally Transduced Murine Tumor

Continued on page 7

Continued from page 5

- V. Manivel, S. K. Panda, and K. V. S. Rao 2082 Identification of a New Group-Specific Determinant on Hepatitis B Surface Antigen with a Synthetic Peptide
- H. Morimoto and B. Bonavida 2089 Diphtheria Toxin- and *Pseudomonas* A Toxin-Mediated Apoptosis: ADP Ribosylation of Elongation Factor-2 Is Required for DNA Fragmentation and Cell Lysis and Synergy with Tumor Necrosis Factor- α
- L. Soong and R. L. Tarleton 2095 Selective Suppressive Effects of *Trypanosoma cruzi* Infection on IL-2, *c-myc*, and *c-fos* Gene Expression
- W. R. Weiss, J. A. Berzofsky, R. A. Houghten, M. Sedegah, M. Hollindale, and S. L. Hoffman 2103 A T Cell Clone Directed at the Circumsporozoite Protein which Protects Mice against Both *Plasmodium yoelii* and *Plasmodium berghei*

INFLAMMATION

- C. Chabannon, P. Wood, and B. Torok-Storb 2110 Expression of CD7 on Normal Human Myeloid Progenitors
- P. J. Duerksen-Hughes, D. B. Day, S. M. Laster, N. A. Zachariades, L. Aquino, and L. R. Gooding 2114 Both Tumor Necrosis Factor and Nitric Oxide Participate in Lysis of Simian Virus 40-Transformed Cells by Activated Macrophages
- N. Ghildyal, H. P. McNeil, S. Stechschulte, K. F. Austen, D. Silberstein, M. F. Gurish, L. L. Somerville, and R. L. Stevens 2123 IL-10 Induces Transcription of the Gene for Mouse Mast Cell Protease-1, a Serine Protease Preferentially Expressed in Mucosal Mast Cells of *Trichinella spiralis*-Infected Mice
- T. T. Hansel, I. J. M. De Vries, J. M. Carballido, R. K. Braun, N. Carballido-Perrig, S. Rihs, K. Blaser, and C. Walker 2130 Induction and Function of Eosinophil Intercellular Adhesion Molecule-1 and HLA-DR
- H. Jiang, C. A. Stewart, D. J. Fast, and R. W. Leu 2137 Tumor Target-Derived Soluble Factor Synergizes with IFN- γ and IL-2 to Activate Macrophages for Tumor Necrosis Factor and Nitric Oxide Production to Mediate Cytotoxicity of the Same Target
- M. L. Jones, M. S. Mulligan, C. M. Flory, P. A. Ward, and J. S. Warren 2147 Potential Role of Monocyte Chemoattractant Protein 1/JE in Monocyte/Macrophage-Dependent IgA Immune Complex Alveolitis in the Rat
- S. Latour, C. Bonnerot, W. H. Fridman, and M. Daëron 2155 Induction of Tumor Necrosis Factor- α Production by Mast Cells via Fc γ R: Role of the Fc γ RIII γ Subunit
- F. W. Luscinskas, J.-M. Kiely, H. Ding, M. S. Obin, C. A. Hébert, J. B. Baker, and M. A. Gimbrone, Jr. 2163 In Vitro Inhibitory Effect of IL-8 and Other Chemoattractants on Neutrophil-Endothelial Adhesive Interactions
- G. M. Omann, J. M. Harter, N. Hassan, P. J. Mansfields, S. J. Suchard, and R. R. Neubig 2172 A Threshold Level of Coupled G-Proteins Is Required to Transduce Neutrophil Responses
- C. J. Punjabi, D. L. Laskin, D. E. Heck, and J. D. Laskin 2179 Production of Nitric Oxide by Murine Bone Marrow Cells: Inverse Correlation with Cellular Proliferation

CLINICAL IMMUNOLOGY

- S. S. Burtles, S. Trembleau, K. Drexler, and U. Hurtenbach 2185 Absence of T Cell Tolerance to Pancreatic Islet Cells
- L. N. Callahan, G. Roderiquez, M. Mallinson, and M. A. Norcross 2194 Analysis of HIV-Induced Autoantibodies to Cryptic Epitopes on Human CD4
- L. Mincheva-Nilsson, S. Hammarström, and M.-L. Hammarström 2203 Human Decidual Leukocytes from Early Pregnancy Contain High Numbers of $\gamma\delta^+$ Cells and Show Selective Down-Regulation of Alloreactivity

Continued on page 9

Continued from page 7

- H. Smith, Y.-H. Lou, P. Lacy, and K. S. K. Tung 2212 Tolerance Mechanism in Experimental Ovarian and Gastric Autoimmune Diseases
- S. J. Stull, G. C. Sharp, M. Kyriakos, J. T. Bickel, and H. Braley-Mullen 2219 Induction of Granulomatous Experimental Autoimmune Thyroiditis in Mice with in Vitro Activated Effector T Cells and Anti-IFN- γ Antibody
- W.-M. Tsai, G. Roos, T. E. Hugli, and E. M. Tan 2227 Influence of Free Thiol Group(s) on Autoantibody-Defined Epitope of Proliferating Cell Nuclear Antigen
- J. H. Van Es, H. Aanstoot, F. H. J. Gmelig-Meyling, R. H. W. M. Derksen, and T. Logtenberg 2234 A Human Systemic Lupus Erythematosus-Related Anti-Cardiolipin/Single-Stranded DNA Autoantibody is Encoded by a Somatically Mutated Variant of the Developmentally Restricted 51P1 V_H Gene

Author Index

i