

**Luminex**  
complexity simplified.



**Reimagine your discoveries**

Amnis® ImageStream<sup>®</sup> Mk II and  
FlowSight® Imaging Flow Cytometers

Learn more >



**150 (2)**

*J Immunol* 1993; 150:331-704; ;  
<http://www.jimmunol.org/content/150/2.citation>

This information is current as  
of June 16, 2021.

**Why *The JI*? [Submit online.](#)**

- **Rapid Reviews! 30 days\*** from submission to initial decision
- **No Triage!** Every submission reviewed by practicing scientists
- **Fast Publication!** 4 weeks from acceptance to publication

*\*average*

- Subscription** Information about subscribing to *The Journal of Immunology* is online at:  
<http://jimmunol.org/subscription>
- Permissions** Submit copyright permission requests at:  
<http://www.aai.org/About/Publications/JI/copyright.html>
- Email Alerts** Receive free email-alerts when new articles cite this article. Sign up at:  
<http://jimmunol.org/alerts>

*The Journal of Immunology* is published twice each month by  
The American Association of Immunologists, Inc.,  
1451 Rockville Pike, Suite 650, Rockville, MD 20852  
All rights reserved.  
Print ISSN: 0022-1767 Online ISSN: 1550-6606.



# The Journal of Immunology

## Contents

Volume 150 • Number 2 • January 15, 1993

### Cellular Immunology and Immune Regulation

- 331 The Importance of Dominant Negative Effects of Amino Acid Side Chain Substitution in Peptide-MHC Molecule Interactions and T Cell Recognition  
*Wolf-Henning Boehncke, Toshiyuki Takeshita, Charles D. Pendleton, Richard A. Houghten, Scheherazade Sadegh-Nasseri, Luigi Racioppi, Jay A. Berzofsky, and Ronald N. Germain*
- 342 Regulation of IFN- $\gamma$  and Tumor Necrosis Factor- $\alpha$  Expression In Vivo Effects of Cycloheximide and Cyclosporine in Normal and Lipopolysaccharide-Treated Mice  
*Sandra M. Cockfield, Vidyand Ramassar, and Philip F. Halloran*
- 353 Human IL-10 is Produced by Both Type 1 Helper (Th1) and Type 2 Helper (Th2) T Cell Clones and Inhibits Their Antigen-Specific Proliferation and Cytokine Production  
*Gianfranco Del Prete, Marco De Carli, Fabio Almerigogna, Maria Grazia Giudizi, Roberta Biagiotti, and Sergio Romagnani*
- 361 Preferential Activation of Th2 Cells in Chronic Graft-versus-Host Reaction  
*Dominique De Wit, Marcelle Van Mechelen, Carole Zanin, Jean-Marc Doutrelepon, Thierry Velu, Catherine Gérard, Daniel Abramowicz, Jean-Pierre Scheerlinck, Patrick De Baetselier, Jacques Urbain, Oberdan Leo, Michel Goldman, and Muriel Moser*
- 367 Anergized T Cell Clones Retain Their Cytolytic Ability  
*Cindy Go, David W. Lancki, Frank W. Fitch, and Jim Miller*
- 377 Targets of B Lymphocyte Antigen Receptor Signal Transduction Include the p21<sup>ras</sup> GTPase-Activating Protein (GAP) and Two GAP-Associated Proteins  
*Michael R. Gold, Mary T. Crowley, George A. Martin, Frank McCormick, and Anthony L. DeFranco*
- 387 IL-2-Independent Activity of IL-7 in the Generation of Secondary Antigen-Specific Cytotoxic T Cell Responses in Vitro  
*Ferdynand J. Kos and Arno Müllbacher*
- 394 Enhanced IL-4-Mediated D10.G4.1 Proliferation with Suboptimal Concentrations of Anti-IL-4 Receptor Monoclonal Antibodies  
*Christer Lindqvist, Helena Lundström, Christian Oker-Blom, and Karl E. O. Åkerman*
- 399 Endogenous Secretion of IL-4 Maintains Growth and Thy-1 Expression of a Transformed B Cell Clone  
*Steven W. Louie, Luis M. Ramirez, Arthur M. Krieg, Charles R. Maliszewski, and Gail A. Bishop*
- 407 IL-4 Induction of IgE Class Switching by Lipopolysaccharide-Activated Murine B Cells Occurs Predominantly Through Sequential Switching  
*Raya Mandler, Fred D. Finkelman, Alan D. Levine, and Clifford M. Snapper*

- 419 Identification and Propagation of a Putative Immunosuppressive Orphan Parvovirus in Cloned T Cells  
*Maureen D. McKisic, David W. Lancki, Glen Otto, Philip Padrid, Sandra Snook, David C. Cronin II, Patricia D. Lohmar, Tim Wong, and Frank W. Fitch*
- 429 Both CD45RA<sup>+</sup> and CD45RA<sup>-</sup> Subpopulations of CD8<sup>+</sup> T Cells Contain Cells with High Levels of Lymphocyte Function-Associated Antigen-1 Expression, a Phenotype of Primed T Cells  
*Meinoshin Okumura, Yoshitaka Fujii, Keiji Inada, Kazuya Nakahara, and Hikaru Matsuda*
- 438 Characterization of Antigen-Presenting Cells that Present Exogenous Antigens in Association with Class I MHC Molecules  
*Kenneth L. Rock, Lisa Rothstein, Sandra Gamble, and Christine Fleischacker*
- 447 Origin, Differentiation, and Repertoire Selection of CD3<sup>+</sup>CD4<sup>-</sup>CD8<sup>-</sup> Thymocytes Bearing Either  $\alpha\beta$  or  $\gamma\delta$  T Cell Receptors  
*Takashi Suda and Albert Zlotnik*

### **Molecular and Structural Immunology**

- 456 Molecular Cloning and Characterization of Human Eosinophil Charcot-Leyden Crystal Protein (Lysophospholipase): Similarities to IgE-Binding Proteins and the S-Type Animal Lectin Superfamily  
*Steven J. Ackerman, Stephanie E. Corrette, Helene F. Rosenberg, Joshua C. Bennett, David M. Mastroianni, Anne Nicholson-Weller, Peter F. Weller, David T. Chin, and Daniel G. Tenen*
- 469 Role of Mouse V<sub>H</sub>10 and VL Gene Segments in the Specific Binding of Antibody to Z-DNA, Analyzed with Recombinant Single Chain Fv Molecules  
*Marcelo M. Brigido, Michael Polymenis, and B. David Stollar*
- 480 Structural Analysis of the *CD11b* Gene and Phylogenetic Analysis of the  $\alpha$ -Integrin Gene Family Demonstrate Remarkable Conservation of Genomic Organization and Suggest Early Diversification during Evolution  
*Judith C. Fleming, Heike L. Pahl, David A. Gonzalez, Temple F. Smith, and Daniel G. Tenen*
- 491 The Human Ig- $\beta$  cDNA Sequence, a Homologue of Murine B29, Is Identical in B Cell and Plasma Cell Lines Producing All the Human Ig Isotypes  
*Shiori Hashimoto, Peter K. Gregersen, and Nicholas Chiorazzi*
- 499 Characterization of Endogenous Peptides Bound to Purified HLA-DR Molecules and Their Absence from Invariant Chain-Associated  $\alpha\beta$  Dimers  
*John R. Newcomb and Peter Cresswell*
- 508 The Analysis of Internal Image-Bearing Anti-Idiotypic Monoclonal Antibody in Relation to Carcinoembryonic Antigen  
*Masayuki Tsujisaki, Yuji Hinoda, Shigeru Tokuchi, Yoshiaki Hanzawa, Yoshiaki Arimura, Jiro Masuya, Hiroshi Kitagawa, Etsuko Okochi, Toshiro Shimamura, Junji Hamuro, Kohzoh Imai, and Akira Yachi*

### **Host Defense**

- 517 Bone Marrow Macrophages Process Exogenous *Toxoplasma gondii* Polypeptides for Recognition by Parasite-Specific Cytolytic T Lymphocytes  
*Eric Y. Denkers, Ricardo T. Gazzinelli, Sara Hieny, Patricia Caspar, and Alan Sher*
- 527 IgA Antibodies to a Protective Antigen in Human Schistosomiasis Mansoni  
*Jean-Marie Grzych, Delphine Grezel, Chuan Bo Xu, Jean-Loup Neyrinck, Monique Capron, John H. Ouma, Anthony E. Butterworth, and André Capron*

- 536 IL-2 Contributes to the IL-5 Response in Granulomas from Mice Infected with *Schistosoma mansoni*  
*Ahmed Metwali, David Elliott, Ranjit Mathew, Arthur Blum, and Joel V. Weinstock*
- 543 Repertoire Diversity of Antibody Response to Bacterial Antigens in Aged Mice: III. Phosphorylcholine Antibody from Young and Aged Mice Differ in Structure and Protective Activity against Infection with *Streptococcus pneumoniae*  
*Claudio Nicoletti, Xuhao Yang, and Jan Cerny*
- 550 A Role for  $\gamma\delta^+$  T Cells during Experimental Infection of Mice with *Leishmania major*  
*Jean-Pierre Rosat, H. Robson MacDonald, and Jacques A. Louis*

## Inflammation

- 556 Regulation of Mouse Peritoneal Mast Cell Secretory Function by Stem Cell Factor, IL-3 or IL-4  
*John W. Coleman, Mark R. Holliday, Ian Kimber, Krisztina M. Zsebo, and Stephen J. Galli*
- 563 Mobilization of Different Arachidonate Pools and Their Roles in the Generation of Leukotrienes and Free Arachidonic Acid during Immunologic Activation of Mast Cells  
*Alfred N. Fonteh and Floyd H. Chilton*
- 571 Activation of the C4 and C2 Components of Complement by a Proteinase in Serum Bactericidal Factor, Ra Reactive Factor  
*Yue-Hua Ji, Teizo Fujita, Hiromi Hatsuse, Akiyoshi Takahashi, Misao Matsushita, and Masaya Kawakami*
- 579 CD1 Molecule Expression on Human Monocytes Induced by Granulocyte-Macrophage Colony-Stimulating Factor  
*Watchara Kasinrerak, Thomas Baumruker, Otto Majdic, Walter Knapp, and Hannes Stockinger*
- 585 Tyrosine-Phosphorylation of Tubulin during Monocytic Differentiation of HL-60 Cells  
*Koko Katagiri, Takuya Katagiri, Kazuko Kajiyama, Tadashi Yamamoto, and Takeshi Yoshida*
- 594 Macrophage Colony-Stimulating Factor in Human Fetal Astrocytes and Microglia: Differential Regulation by Cytokines and Lipopolysaccharide, and Modulation of Class II MHC on Microglia  
*Sunhee C. Lee, Wei Liu, Philip Roth, Dennis W. Dickson, Joan W. Berman, and Celia F. Brosnan*
- 605 Stimulation of Tyrosine Phosphorylation and Calcium Mobilization by Fc $\gamma$  Receptor Cross-Linking: Regulation by the Phosphotyrosine Phosphatase CD45  
*Bruce M. Rankin, Sue A. Yocum, Robert S. Mittler, and Peter A. Kiener*
- 617 Mouse 3T3 Fibroblasts Induce Rat Basophilic Leukemia (RBL-2H3) Cells to Acquire Responsiveness to Compound 48/80  
*Mark Swieter, Ronald J. Midura, Hikaru Nishikata, Constance Oliver, Elsa H. Berenstein, Stephan E. Mergenhagen, Vincent C. Hascall, and Reuben P. Siraganian*

## Clinical Immunology

- 625 Regulation of HIV-1 Expression by Cytokine Networks in a CD4<sup>+</sup> Model of Chronic Infection  
*Salvatore T. Butera, Beverly D. Roberts, and Thomas M. Folks*
- 635 Repertoire of Neutralizing Human Monoclonal Antibodies Specific for the V3 Domain of HIV-1 gp120  
*Mirosław K. Gorny, Jian-Yin Xu, Sylwia Karwowska, Aby Buchbinder, and Susan Zolla-Pazner*
- 644 Soluble E-Selectin is Found in Supernatants of Activated Endothelial Cells and Is Elevated in the Serum of Patients with Septic Shock  
*Walter Newman, L. Dawson Beall, Craig W. Carson, Gene G. Hunder, Norma Graben, Zafar I. Randhawa, T. Venkat Gopal, Jeanine Wiener-Kronish, and Michael A. Matthay*

- 655 Reduced Contact Sensitivity Reactions in Mice Treated with Monoclonal Antibodies to Leukocyte Function-Associated Molecule-1 and Intercellular Adhesion Molecule-1  
*Annika Scheynius, Robert L. Camp, and Ellen Pure'*
- 664 Studies of T Cell Deletion and T Cell Anergy Following in Vivo Administration of SEB to Normal and Lupus-Prone Mice  
*Dorothy E. Scott, Wendy J. Kisch, and Alfred D. Steinberg*
- 673 Aberrant Expression of the Very Early Activation Antigen on MRL/Mp-*lpr/lpr* Lymphocytes  
*Eric S. Sobel, Wayne M. Yokoyama, Ethan M. Shevach, Robert A. Eisenberg, and Philip L. Cohen*
- 683 Autoimmune Thyroiditis Induced in Mice Depleted of Particular T Cell Subsets: Characterization of Thyroiditis-Inducing T Cell Lines and Clones Derived from Thyroid Lesions  
*Shigetaka Sugihara, Hiromi Fujiwara, and Gene M. Shearer*
- 695 MRL Mice Produce Anti-Su Autoantibody, a Specificity Associated with Systemic Lupus Erythematosus  
*Edward L. Treadwell, Philip Cohen, Debra Williams, Kevin O'Brien, Alvin Volkman, and Robert Eisenberg*
- 700 Nonrandom X Chromosome Inactivation in Natural Killer Cells from Obligate Carriers of X-Linked Severe Combined Immunodeficiency  
*Georg S. Wengler, R. Cutler Allen, Ornella Parolini, Hedy Smith, and Mary Ellen Conley*
- 705 Erratum
- i Author Index